

# T. 7, R. 2 W. 1<sup>st</sup> Mer.

339	338	338	337	337	337
347 6 358 365	358 5 365	358 4 365	360 3 365	348 2 348	362 1 366
364	364 365	364 365	364 366	364 366	364 367
347 7 358 365	358 8 365	358 9 365	360 10 366	348 11 348	362 12 366
357	357	349	349	349	348
346 18 358 368	358 17 368	358 16 368	360 15 369	350 14 350	362 13 370
368	367 368	367 369	367 369	367 369	367 370
346 19 358 368	358 20 368	358 21 369	360 22 369	350 23 350	362 24 370
356	355	352	352	351	351
345 30 359 371	359 29 371	359 28 372	361 27 372	362 26 373	362 25 373
371	370 371	370 372	370 372	372	373
345 31 359 371	359 32 371	359 33 372	361 34 372	353 35 353	363 36 373
342	341	341	340	340	339

# T. 8, R. 2 W. 1<sup>st</sup> Mer.

430	429	428	428	427	427
427 6 427	427 5 427	427 4 427	428 3 428	429 2 429	420 1 421
428	424	424	423	422	421
428 7 428	428 8 428	428 9 428	428 10 428	429 11 429	429 12 429
415	414	414	413	412	411
406 18 406	406 17 406	406 16 406	406 15 406	406 14 406	402 13 401
406	405	404	404	403	401
398 19 398	398 20 398	398 21 398	398 22 398	398 23 398	398 24 398
397	396	396	395	394	394
389 30 389	389 29 389	389 28 389	389 27 389	389 26 389	384 25 385
389	388	387	387	386	385
382 31 382	382 32 382	382 33 382	382 34 382	382 35 382	382 36 382
381	380	379	378	377	375

T. 8. R. 2. W. 1<sup>st</sup> Mer.

Township No. 8. Range No. 2. West 1<sup>st</sup> Mer.  
Indiana

North Commenced at the South East corner of Township  
No. 8 Range No. 2 West of the Mer. thence North  
on the East Boundary of said Township

- 15.00 a small Water course runs  $S 86^{\circ} W$   
17.40 a Black Oak 15 ins. dia. in the line  
19.00 a Water course 4 lbs. wide runs  $S 86^{\circ} W$   
25.60 another small water course runs West  
35.10 a Black Oak tree 20 ins. dia. in the line  
57.00 Over land sufficiently level for cultivation,  
timbered with White & Black Oak & Hickory  
good soil for small grain  
55.10 a White Oak tree 14 ins. dia. in the line  
57.75 a small Water course 4 lbs. wide, runs  $N 40^{\circ} E$   
66.08 a " " " runs  $S 70^{\circ} E$   
76.00 on descending ground to a Water course 12 lbs.  
wide, runs  $S 70^{\circ} E$   
77.00 a Hickory 20 ins. dia. in the line  
79.70 came to a stake standing at corners of Sect.  
No. 30 & 31 T. 8. R. 1. W. Dis  
80.00 Rising a hill, came over rough land, timbered  
with Oak, Ash & Sugar tree - set stake at  
the corners of Sect. No. 25 & 36 T. 8 R. 2. W. Dis  
a Sugar tree 10 ins. dia. bears  $S 64^{\circ} W 40$  lbs. dist  
an Elm tree 10 " " "  $N 39^{\circ} W 17$  " "  
Marked & numbered to the plan, 3<sup>rd</sup> rate  
Variation  $N. 50$

West From the South East corner of Township  
No. 8. R. No. 2. thence West on the South bound-  
-ary of the same

- 7.80 a White Oak tree 24 ins. dia. in the line  
17.50 down a gradual descent to a Water course 10 lbs.  
wide, runs  $S 86^{\circ} E$   
21.60 a Hickory 13 ins. dia. in the line, rising a hill



## J. S. R. J. W. Mer.

40.00 Over rough hilly land, thinly timbered with Oak, Hickory &c. State land - Set 2 sec. post an Elm tree 10 ins. dia. bears S 37° W 18 lbs. dis. & another Elm tree 8 ins. dia. bears N 42° E 8 lbs. dis. Marked & numbered S.

## West Continue West

1.50 a stream of water 16 lbs. wide, runs S 20° E  
 8.53 a Black Oak tree 18 ins. dia. in the line  
 24.00 a stream of water 12 lbs. wide runs S 18° E having passed over a hill  
 28.50 Rose a hill  
 32.02 came to a post set at corner of Sec. No. 14 & Township No. 7 Range No. 2 W. Dis  
 40.00 Over uneven land, thin soil. Timbered with Oak, Hickory & Sugar tree, much under brush. Set stake at the corner of Sec. No. 35 & 36. Township No. 8 Range No. 2 W. Dis a Sugar tree 14 ins. dia. bears S 38° W 16 lbs. dis. & a Sugar tree 15 " " " N 17° E 29 lbs. dis. - Marked & numbered to the plan - Variation 4.30

## North From corners of Sec. No. 35 &amp; 36 T. No. 8. R. No. 2 thence North.

15.03 a Water course 4 lbs. wide runs N 47° E  
 3.00 another Water course 3 lbs. wide, runs S 15° E  
 7.73 a White Oak tree 18 ins. dia. in the line  
 18.54 a Water course 8 lbs. wide runs S 8° E  
 32.77 a White Oak tree 14 ins. dia. in the line  
 46.25 a Water course 8 lbs. wide runs S 55° E  
 54.35 a Black Oak tree 16 ins. dia. in the line  
 66.74 a White Oak tree 40 " " " " " "  
 75.27 a small Water course runs East  
 78.06 a Black Oak tree 30 ins. dia. in the line  
 80.00 Over land generally level in some places, rising & falling State land. Timbered with Oak, Sugar tree,

S. 8. R. 2. W. 1.<sup>st</sup> Mer.

& Hickory - Spruce (under brush) - set stake at the corner of Sect. (No. 25. 26. 35 & 36. a White Oak tree bears N 6 E 42 lbs. dia. 16 ins. dia. and a Hickory tree 15 ins. dia. bears N 61 E 10 lbs. dia. Marked to the plan

West From corners of Sect. (No. 35 & 36 thence West on the South Boundary of S. 8. R. 2. W. Dis

- 3.00 a Water course 4 lbs. wide runs N 65 E  
 5.22 a White Oak tree 16 ins. dia. in the line  
 5.80 came to the last mentioned water course again  
 9.10 Crossed water course again comes from S 30 W  
 16.90 a Hickory tree 12 ins. dia. in the line  
 40.00 over level 2<sup>nd</sup> rate land timbered with White Oak Black Oak & Hickory - good soil for small grain set 7<sup>th</sup> sec. post a White Oak tree 16 ins. dia. bears N 34 W 6 lbs. dia. & a Hickory tree 12 ins. dia. bears S 62 E 12 lbs. dia. Marked & numbered to the plan

West Continue West

- 3.40 a White Oak tree 36 ins. dia. in the line  
 17.94 a Do Do 36 ins. dia. in the line, came over level land timbered with W. Oak. Hickory & Do.  
 38.60 over low flat land. Timbered with Oak, Water-gum, maple & Hickory came to corner of Sect. No. 2 & 3. Town 7 Range 2. W. Dis. said corners made by myself  
 44.00 Set stake at the corner of Sect. No. 34 & 35 T. 8. R. 2. W. Dis a White Oak tree 48 ins. dia. bears N 57 W 17 lbs. dia. & a Hickory tree 16 " " " S 17 E 57 lbs. dia. Marked & numbered to the plan,  
 3<sup>rd</sup> rate — Variation 4.30

North From corners of Sect. (No. 34 & 35 Township No 8. Range No. 2; thence North  
 6.66 a White Oak tree 14 ins. dia. in the line

S. S. R. 2. W. 1. 1<sup>st</sup> Mer.

21.30	a White Oak tree 18 ins. dia. in the line
57.85	a Hickory tree 12 " " " " "
69.57	a " " 20 " " " " "
70.00	over low flat land, good soil for grass. Timbered with Oak, Hickory, Maple & Bee Gum
80.00	over level land, timbered with White Oak, Hickory &c. good soil for small grain - set stake at the corner of Sec. No. 26. 27. 34 & 35. S. S. R. 2. a Black Oak tree 17 ins. dia. bears N 35 E 60 lbs. dis. & a Hickory tree 9 " " " S 37 W 21 lbs. distant. Marked &c. 3 <sup>rd</sup> rate.

West From Corners of Sec. No. 34 & 35. thence West on the South boundary of S. S. R. 2. W. 1<sup>st</sup>

3.13	a Maple tree 14 ins. dia. in the line
12.55	a White Oak tree 15 ins. dia. in the line. Came over low land, Timbered with Oak, Maple &c.
38.25	a White Oak tree 15 ins. dia. in the line
40.00	over flat land, thin poor soil. Timbered with Oak, Hickory & some Maple may be termed 3 <sup>rd</sup> rate. Set a sec. post a Black Oak tree 18 ins. dia. bears N 57 W 30 lbs. dis. & a Maple tree 12 ins. dia. bears S 54 E 39 lbs. dis. Marked & numbered to the place - 3 <sup>rd</sup> rate.

West Continue West

12.00	a Water course 3 lbs. wide runs N 15 W
26.80	a White Oak tree 15 ins. dia. in the line
30.00	a Water course 4 lbs. wide runs N 50 W
38.00	Came to a stake set by myself at the corner of Sec. No. 34 & 44. S. S. R. 2. W. 1 <sup>st</sup>
40.00	over level land timbered with Oak, Hickory &c. good soil for small grain - set stake at the corner of Sec. No. 33 & 34 (S. No. 8. R. No. 2. W. 1 <sup>st</sup> ) a White Oak tree 16 ins. dia. bears N 21 W 13 lbs. dis. & another White Oak tree 15 ins. dia. bears S 36 E

15 Mts. dis. Marked & numbered Intro. Var. 4.30

North From the corner of Sec. No. 33 & 34 thence N.  
 3.15 came to a Water course 8 Mts. wide runs W.  
 4.20 a White Oak tree 18 ins. dia. in the line  
 7.28 a Water course 6 Mts. wide runs S 20° W  
 25.76 a White Oak tree 15 ins. dia. in the line  
 46.44 a Michaux tree 14 " " " " "  
 58.00 a White Oak tree 48 " " " " "  
 80.00 over low flat land, thin soil wet, timbered  
 with Pin Oak, Michaux, White Oak, & Maple  
 Set stake at corner of Sec. No. 27 & 28. 33 & 34  
 a Gum tree 12 ins. dia. bears N 79° W 31 Mts. dis.  
 & a Michaux tree 14 ins. dia. bears S 51° W 20 Mts. dis.  
 3<sup>d</sup> rate.

West From corners of Sec. No. 33 & 34. Township No. 8.  
 Range No. 2. W. Dis, thence West on the South  
 Boundary of said Township  
 8.00 a Water course 3 Mts. wide, runs N 15° W  
 19.26 a quaking Asp tree 24 ins. dia. in the line  
 33.90 a Michaux tree 10 " " " " "  
 40.00 Over low flat land, covered with water in a  
 wet time. Timbered with Pin Oak, Maple &c.  
 Set 1/2 Sec. post - a Pin Oak 20 ins. dia. bears  
 N 5° W 65 Mts. dis. & a Maple tree 13 ins. dia. bears  
 S 38° E 20 Mts. dis. Marked 1/2 Sec. 3<sup>d</sup> rate

West continue West  
 2.20 a Pin Oak tree 18 ins. dia. in the line  
 17.40 a White Oak tree 24 " " " " "  
 29.20 a Pin Oak tree 20 " " " " "  
 36.00 came to corners of Sec. No. 4 & 5. T. 7. R. 2. W. 9<sup>th</sup>  
 40.00 over low flat land timbered with Pin Oak,  
 Maple &c. poor soil. Set stake at the corners  
 of Sec. No. 32 & 33. Township No. 8. R. 2. W. 9<sup>th</sup>



# J. S. R. D. W. 1<sup>st</sup> Mer.

a quaking asp tree 16 ins. dia. bears N 29° W  
40 lbs. dis. & a Pin Oak tree 16 ins. dia. bears  
S 32° E 40 lbs. dis. Marked & numbered to the  
plan 3<sup>d</sup> rate. — Variation II. 30

North From the corners of Sec. No. 32 & 33. Town  
No. 8. Range No. 9 — thence North  
16.59 a Hickory tree 15 ins. dia. in the line  
32.45 a " " 14 " " " "  
50.00 over a flat of land, timbered with Pin Oak,  
Maple & quaking Asp. — wet poor soil  
57.00 a White Oak tree 14 ins. dia. in the line  
61.70 Down an easy descent to a stream of Water  
12 lbs. wide, runs West  
77.22 a Black Oak tree 14 ins. dia. in the line  
80.00 over level land timbered with White Oak, Black  
Oak, Hickory &c. 2<sup>d</sup> rate land, good soil for small  
grain — set stake at the corner of Sec. No. 28.  
29.32 & 33. J. S. R. D. W. D's. a Gum tree 14 ins.  
dia. bears N 67° W 30 lbs. dis. & a Hickory tree 14 "  
" " S 87° W 26 lbs. dis. Marked & numbered  
2<sup>d</sup> rate.

West From corner of Sec. No. 32 & 33 thence West  
on the South Boundary of J. S. R. D. W. D's  
16.50 a Water course 10 lbs. wide runs S 15° E  
17.14 a White Oak tree 16 ins. dia. in the line  
27.46 a " " " 20 " " " "  
40.00 over low flat land. Timbered with Oak, Water  
-gum & Maple, covered with water in a wet  
time, thin poor soil — set 1<sup>st</sup> sec. post. a Swamp  
White Oak tree 18 ins. dia. bears N 10° W 17 lbs. dis.  
& a Gum tree 20 ins. dia. bears S 5° W 15 lbs. dis. —  
Marked 1<sup>st</sup> sec. 3<sup>d</sup> rate.

West continue West

3.57 a White Oak tree 60 ins. dia. in the line  
 14.12 an Elm tree 36 ins. dia. in the line  
 36.05 came to corners of Sec. No. 5 & 6. Township No. 7. Range No. 2 Western Dist. Set by Wm. Ludlow  
 40.00 over low flat land covered with water in a wet time timbered with Genl. Elm &c. - Set post at the corner of Sec. No. 31 & 32. T. 8. R. 2. W. Dist. a pin Oak tree 28 ins. dia. bears N 26° W 30 lbs. dis. & a Maple tree 10 " " " S 30° E 19 lbs. dis. Marked & numbered to the plan. 3<sup>d</sup> rate.

West From corner of Sec. No. 31 & 32. T. 8. R. 2. W. Dist. thence West  
 5.26 a Water course 4 lbs. wide runs S 15° W  
 8.00 over low flat land.  
 10.18 a White Oak tree 15 ins. dia. in the line  
 23.00 a Water course 6 lbs. wide runs N 50° W  
 32.58 a White Oak tree 24 ins. dia. in the line  
 36.00 a Water course 4 lbs. wide runs N 40° E  
 40.00 over level land timbered with White Oak, Hickory &c. good soil for small grain - Set 1/2 sec. post - a White Oak tree 40 ins. dia. bears N 36° W 44 lbs. dis. & a Black Oak tree 14 ins. dia. bears S 63° E 22 lbs. dis. Marked 1/2 sec. 2<sup>d</sup> rate.

West Continue West  
 5.00 a Black Oak tree 16 ins. dia. in the line  
 6.50 a Water course 4 lbs. wide, runs N 50° E - came over a White Oak ridge  
 33.50 came to the South West corner of Township No. 8. Range No. 2 Western Dist. - passed over low wet land, timbered with Maple & Pin Oak. poor soil. a Pin Oak tree 20 ins. dia. bears N 32° W 62 lbs. dis. & a Maple tree 12 ins. dia. bears S 25° E 53 lbs. dis. Marked & numbered to the plan - Variation 1.30 - 3<sup>d</sup> rate.



# B. S. R. I. W. 1<sup>st</sup> Mer.

North From corners of Sec. (No. 31 & 32. T. 8. R. 2. W. thence North

- 4.80 a Maple tree 18 ins. dia. in the line  
 24.57 a White Oak tree 28 ins. dia. in the line, came over low wet land, timbered with Maple Elm &c.  
 28.50 a Water course 3 lks. wide, runs N 18° W  
 46.73 a Black Oak 15 ins. dia. in the line  
 52.50 came to a Water course 3 lks. wide, runs N 20° W  
 67.50 a Water course 3 lks. wide, runs N 40° W  
 69.00 a quaking asp tree 13 ins. dia. in the line  
 80.00 over 2<sup>d</sup> rate land rising & falling in easy ridges timbered with Oak & Hickory - set stake at the corner of Sec. (No. 29. 30. 31 & 32. a White Oak tree 15 ins. dia. bears N 21° W 30 lks. dia. & a Black Oak tree 18 ins. dia. bears S 23° E 35 lks. dia. Marked &c. 2<sup>d</sup> rate

East From stake set for corner of Sec. (No. 29. 30. & 31. 32 T. 8. R. 2. W. 1<sup>st</sup> Mer. thence East & set up tally stakes

- 80.08 came to the end of a line, run North from the corner of Sec. No. 32 & 33. & fell 40 lks. N. from the end of said line

North From corners of Sec. (No. 32. 33. 28 & 29. T. 8. R. 2. W. thence North

- 6.50 a Water course 3 lks. wide runs S 80° W  
 10.63 a Black Oak tree 14 ins. dia. in the line  
 14.60 a Spring branch 3 lks. wide runs S 50° W  
 20.50 a Black Oak tree 15 ins. dia. in the line  
 40.26 a Water course 3 lks. wide runs N 30° W  
 43.45 a White Oak tree 17 ins. dia. in the line  
 69.00 a Water course 3 lks. wide, runs West  
 76.17 a small Water course or Spring branch, runs N 56° W  
 80.00 over land of an easy changing surface 2<sup>d</sup> rate,

well timbered with Oak, set stake at the corner of Sec. (No. 20. 21. 28 & 29 J. S. R. D. W. 2<sup>d</sup> a Black Oak tree 16 ins. dia. bears N 9 E 33 lbs. dia. & a Hickory tree 12 ins. dia. bears S 35 W 39 lbs. dia. 2<sup>d</sup> rate.

East From corner of Sec. (No. 28. 29. 32 & 33, thence East & set up tally stakes  
80.21 came to the end of a line run North from the corner of Sec. (No. 33 & 34 and fell 9 lbs. South of the end of that line

North From the corners of Sec. (No. 27. 28. 33 & 34 Township No. 5. Range No. 2, thence North  
22.55 a White Oak tree 15 ins. dia. in the line  
29.80 a Water course 3 lbs. wide, runs N 60 W  
44.3.00 over level land, timbered with White Oak, Black Oak, & Hickory 2<sup>d</sup> rate land, begins to descend,  
45.10 down a descent to a Water course 12 lbs. runs N 48 W  
53.69 a Black Oak tree 34 ins. dia. in the line  
64.00 a White Oak tree 18 " " " " "  
75.83 a Stream of water 12 lbs. wide, runs West  
80.00 over rough hilly land, 3<sup>d</sup> rate, Timbered with Oak, Hickory & Sugar tree. set stake at the corner of Sec. (No. 27. 28. 21 & 22) a Walnut tree 16 ins. dia. bears N 70 W 21 lbs. dia. & an Elm tree 8 " " " S 44 E 29 " " Marked ve. 3<sup>d</sup> rate.

East From corners of Sec. (No 27. 28. 33 & 34, thence East & set up tally stakes  
49.75 came to a line run North from corner of Sec. (No. 34 & 35. J. No. 8. R. No. 2. W. 2<sup>d</sup>. & fell 11 lbs. South of the end of said line

North From the corners of Sec. (No. 26. 27. 34 and 35 thence North

## J. S. R. D. W. of Mer.

- 3.50 a White Oak tree 14 ins. dia. in the line  
 12.96 a " " " 15 " " " " "  
 36.24 a Water course 5 lbs. wide, runs N 35 W.  
 44.50 a Do Do. 5 " " " N 80 W  
 62.00 a White Oak tree 40 ins. dia. in the line  
 70.00 over level land, soil 2<sup>d</sup> rate, well timbered with White  
 & Black Oak, Hickory & a small proportion of Sugar  
 tree - good land for small grain  
 74.00 a small Water course, runs N 30 E  
 80.00 over small easy ridges, timbered with Oak, Hickory &c.  
 Set stake at the corner of Sec. (No. 26. 27. 22 & 23. a  
 Buck tree 12 ins. dia. bears N 77 E 15 lbs. dia. & a White  
 Oak tree 13 " " " N 76 W 21 lbs. dia.  
 Marked &c. 2<sup>d</sup> rate.

East From the corner of Sec. (No. 26. 27. 34 & 35.  
 Thence East & set up tally stakes  
 79.97 leave to a line run N. from the corner of Sec. (No.  
 35 & 36 T. No. 8. R. No. 2. W. D. & fell 46 lbs.  
 North from the end of said line

North From cor. of Sec. No. 25. 26. 35 & 36. Thence North  
 6.45 a White Oak tree 16 ins. dia. in the line  
 10.00 over level land good soil for small grain timbered  
 with Oak Hickory &c.  
 39.00 a Water course 6 lbs wide runs N 20 E  
 45.96 a Black Oak tree 18 ins. dia. in the line  
 73.50 a Water course 7 lbs. wide, runs N 60 E  
 80.00 over very rough hilly land, timbered with Oak,  
 Oak, Hickory & Sugar tree, poor 2<sup>d</sup> rate land - Set  
 stake at the corner of Sec. (No. 23. 24. 25 & 26. T. 8.  
 R. 2. W. D. & a Sugar tree bears N 25 E 45 lbs. dia.  
 & an Elm tree 16 ins. dia. bears N 48 W 32 lbs. dia.  
 Marked & numbered to the plan 3<sup>d</sup> rate

East From corner of Sec. (No. 25. 26. 35 & 36, thence

## T. 8. R. 2. W. of Mer.

East &amp; set up tally stakes

79.57 Came to the E. boundary of T. 8. R. 2. W. Dis & fell  
25 lbs. N. from cor. of Sec. No. 25 & 36. T. 8. R. 2. W. Dis

North From cor. of Sec. No. 25 & 36 thence North on the E.  
boundary of T. No. 8. R. No. 2. W. Dis

8.50 passed over a hill to a water course 10 lbs. wide runs S 80° E  
18.60 over rough land, a White Oak tree 14 ins. dia. in the line  
31.50 a Black Oak tree 20 ins. dia. in the line  
41.50 a small water course, runs nearly East  
50.00 over land somewhat broken, timbered with Oak,  
Sugar tree & Hickory

55.22 a Black Oak tree 18 ins. dia. in the line  
64.80 a small water course 3 lbs. wide, runs S 80° E  
76.80 a White Oak tree 18 ins. dia. in the line  
78.70 came to a stake which I set at the corner of Sec.  
No. 19 & 30. T. No. 8. R. No. 1. W. Dis  
80.00 over level land timbered with Oak Sugar tree & Hickory  
Drove land - set stake at the corner of Sec. (No. 24 & 25  
T. No. 8. R. No. 2. W. Dis - a White Oak tree 15 ins. dia  
bears N 31° W 53 lbs. dia. & a White Oak tree 15 " "  
" S 42° E 57 " " - Marked & numbered to  
the plan - Variation 11.45

West From the corner of Sec. No. 25 & 36. T. No. 8. R. No. 2. W. Dis  
thence West to the corners of Sec. (No. 25. 26. 35 & 36  
Commence on the South side of a hill

12.00 a water course 10 lbs. wide, runs S 15° E  
14.35 a Mulberry 10 ins. dia. in the line  
23.67 a Black Oak tree 20 ins. dia. in the line  
25.00 Rose a hill  
35.40 a Black Oak tree 24 ins. dia. in the line  
39.78 over level D<sup>o</sup>ute land, timbered with W & B. Oak, Hickory &c.  
good soil for small grain. set 1/2 sec. post at the inter-  
mediate dis. a B. Oak tree 24 ins. dia. bears South 4 lbs.  
dia & a B. Oak tree 24 ins. dia. bears N 36° W 84 lbs. dia.



J. S. R. D. W. 1<sup>st</sup> Nov.

Marked half sections

West Continue West

- 15.00 a Water course 3 lks. wide, runs S 10 W  
 19.25 a Do Do 3 " " " South  
 20.53 a White Oak tree 20 ins. dia. in the line  
 26.65 a Water course 3 lks. wide runs South  
 27.28 a Hickory tree 12 ins. dia. in the line  
 39.78 over land of a waving surface, not too uneven for  
 cultivation, 2<sup>d</sup> rate land, well timbered with Oak,  
 Hickory & a small proportion of Sugar tree, -  
 from corners of Sect. No. 25. 26. 35 & 36. a White  
 Oak tree bears N 6 E 42 lks. dis. 16 ins. dia. & a  
 Hickory tree 15 ins. dia. bears N 61 E 10 lks. dis.  
 Marked & numbered to the plan

West From corner of Sect. No. 25. 26. 35 & 36 thence West  
 on the true course

- 13.30 a White Oak tree 18 ins. dia. in the line  
 24.38 a Black Oak tree 12 " " " " "  
 28.96 a White Oak " 18 " " " " "  
 39.38 over level land, timbered with White Oak, Black  
 Oak & Hickory - 2<sup>d</sup> rate land, good soil for small  
 grain, set 1/2 sec. post at the intermediate distance  
 from which a Gum tree 12 ins. dia. bears S 18 E  
 18 lks. dis. & a Black Oak tree 22 ins. dia. bears  
 N 26 W 27 lks. dis. - Marked 1/2 sec.

West Continue West

- 5.76 a White Oak tree 30 ins. dia. in the line  
 21.20 a Black Oak " 15 " " " " "  
 39.98 over 2<sup>d</sup> rate land timbered with Oak & Hickory, good  
 soil for small grain, - came to corner of Sect. No.  
 26. 27. 34 & 35. J. No. 8. R. No. 2. W. D. from which  
 corners a Black Oak tree 17 ins. dia. bears N 35 E  
 60 lks. dis. & a Hickory tree 9 ins. dia. bears S 37 W

21 lbs. dis. - Marked & numbered to the plan

West From corners of Sec. (No. 26. 27. 34 & 35 thence W. to the corners of Sec. (No. 27. 28. 33 & 34

- 5.47 a White Oak tree 20 ins. dia. in the line  
 12.00 a Black " " 20 " " " "  
 12.60 a Water course 6 lbs. wide, runs N 30 W  
 28.50 a White Oak tree 12 ins. dia. in the line  
 39.97 over level 2<sup>d</sup> rate land, timbered with Oak and Hickory - Dogwood under growth - Set  $\frac{1}{2}$  Sec. post, No. 5. - a White Oak tree 10 ins. dia. bears S 8 W 8 lbs. dis. & a Dogwood sapling 7 ins. dia. bears N 27 E 4 lbs. dis. - Marked  $\frac{1}{2}$  Sec.

West Continue West -

- 5.92 a Water course 2 lbs. wide, runs N 30 W  
 9.40 another Do 3 " " " N 10 E  
 10.00 a White Oak tree 30 ins. dia. in the line  
 32.40 a " " " 40 " " " "  
 39.77 over 2<sup>d</sup> rate land, timbered with Oak & Hickory, level surface, good soil, for small grain. Came to the corner of Sec. (No. 27. 28. 33 & 34 N. No. 8. R. 2. W. from whence stands a gum tree 12 ins. dia. bears N 79 W 31 lbs. dis. & a Hickory tree 14 " " " S 56 E 20 lbs. dis. Marked & numbered to the plan

West From corners of Sec. (No. 27. 28. 33 & 34 thence West to corner of Sec. (No. 28. 29. 32 & 33. U. S. R. 2. W. Dis

- 2.00 a Water course 3 lbs. wide runs N 30 W  
 8.84 a White Oak tree 18 ins. dia. in the line  
 40.10 over flat low land 2<sup>d</sup> rate timbered with Oak, shell. bark Hickory & some Maple - good meadow land, Set  $\frac{1}{2}$  Sec. post. a White Oak tree 13 ins. dia. bears N 90 W 15 lbs. dis. & another White Oak tree 9 ins. dia. bears S 18 W 9 lbs. dis. - Marked  $\frac{1}{2}$  Sec.



J. S. R. D. W. 1<sup>st</sup> Mer.

West Continue West

- 2.78 a Water course 3 lks. wide runs S 50° W  
 9.70 " " " " " " " " S 50° W  
 24.77 a White Oak tree 14 ins. dia. in the line  
 40.10 over a flat of level land, 2<sup>d</sup> rate. Limbed with  
 Oak & Hickory - came to the corners of Sec. No. 28.  
 29.32 & 33. J. S. R. D. W. D is a gum tree 14 ins.  
 dia. bears N 67° W 30 lks. dis. & a Hickory tree 14  
 ins. dia. bears S 87° W 26 lks. dis. - Marked &  
 numbered to the plan

West From corner of Sec. No. 28. 29.32 & 33. J. No. S. R.  
 No. 2. thence West to the cor. of Sec. 29.30.31 & 32

- 5.44 a White Oak tree 18 ins. dia. in the line  
 18.10 a Stream of water 9 lks. wide runs S 15° W  
 19.31 a White Oak 30 ins. dia. in the line  
 20.00 over level land  
 34.00 a White Oak tree 30 ins. dia. in the line  
 40.40 over 3<sup>d</sup> rate land, broken with small ridges  
 This 1/2 mile timbered with Oak, Hickory & C.  
 Set 1/2 sec. post a White Oak tree 14 ins. dia.  
 bears S 46° W 6 lks. dis. & a Black Oak tree 13  
 ins. dia. bears N 38° E 37 lks. dis. Marked 1/2 sec.

West Continue West

- 8.87 a White Oak tree 9 ins. dia. in the line  
 13.25 a stream of water 18 lks. wide runs N 20° W,  
 came over rough land.  
 14.00 Begin to ascend a hill  
 16.39 a White Oak tree 24 ins. dia. in the line  
 23.00 a Water course 2 lks. wide, runs N 20° E  
 27.40 a Black Oak 22 ins. dia. in the line  
 40.04 came to the corners of Sec. No. 29.30.31 & 32.  
 Township No. 8. Range No. 2. W. D is passed over  
 land of an easy, changing surface 2<sup>d</sup> rate. Timbered  
 with Oak, Hickory & quaking Asp - a White Oak

G. S. R. I. W. 1<sup>st</sup> Mo.

tree 15 ins. dia. bears  $N 21^{\circ} W 36$  lks. dis. & a Black Oak tree 18 ins. dia. bears  $S 23^{\circ} E 35$  lks. dis. Marked & numbered to the plan

West From corner of Sec. No. 29. 30. 31 & 32. thence West

- 7.40 a stream of water 2 lks. wide, runs  $N 10^{\circ} E$   
 8.00 Rising a hill  
 11.15 a White Oak tree 20 ins. dia. in the line  
 38.45 a " " " 16 " " " "  
 40.00 over level State land, timbered with Oak and Hickory - Set 1<sup>st</sup> sec. post. a White Oak tree 13 ins. dia. bears  $N 15^{\circ} E 6$  lks. dis. & another White Oak tree 12 " " "  $N 22^{\circ} E 15$  lks. dis. - Marked half sec.

West Continue West

- 1.15 a Water course 4 lks. wide runs  $N 10^{\circ} W$   
 7.65 a White Oak tree 15 ins. dia. in the line  
 11.00 a Water course 6 lks. wide, runs  $N 7^{\circ} E$   
 21.22 a White Oak tree 38 ins. dia. in the line  
 22.00 over State land, timbered with Oak & Hickory  
 32.00 over wet land poor soil timbered with Pin Oak & Maple - Came to the W. Boundary of G. S. R. I. W. D's fell 37 lks. South of a Hickory sapling standing for corners of Sec. No. 25 & 36. I. S. R. 3. W. D's - Set stake at the corner of Sec. No. 30 & 31. I. S. R. I. W. D's a Cherry tree 12 ins. dia. bears  $N 83^{\circ} E 7$  lks. dis. & a Maple tree 12 ins. dia. bears  $N 59^{\circ} W 37$  lks. dis. Marked & numbered to the plan

North From corner of Sec. No. 29. 30. 31 & 32 Town No. 8. Range No. 2. W. D's thence North

- 10.34 a White Oak tree 14 ins. dia. in the line  
 16.65 down a descent to a Water course 8 lks. wide, runs West & joins another rising North  
 18.50 a Stream of water 18 lks. wide, joins another rising W. of the line

T. S. R. D. W. 1<sup>st</sup> Mer.

- 21.50 a small creek 2 chains W. runs N 72° W  
 35.00 a creek 1 chain wide  
 37.45 a Walnut tree 15 ins. dia. in the line  
 42.15 a Water course 6 lks. wide, runs West & joins a  
 small creek 1 chain & 50 lks. West at right angles  
 to this line  
 46.00 on the W. side of a hill. came over thin 3<sup>rd</sup> rate land  
 49.00 came to blue water run or creek 25 lks. wide  
 58.00 in the bed of the creek  
 60.00 rising a hill  
 73.10 a Water course 1 1/2 lks. wide runs East  
 74.00 a White Oak tree 14 ins. dia. in the line  
 79.28 crossed a Water course 1 1/2 lks. wide, runs East  
 80.00 on the East side of a hill, rich soil but rough  
 surface. Timbered with Oak, Sugar tree & Hickory  
 Set stake at the corner of Sec. Nos. 19, 20, 29 & 30  
 a Sugar tree 14 ins. dia. bears S 68° E 2 1/2 lks. dis.  
 & another Sugar tree 10 ins. dia. bears N 40° W 2 3/4  
 lks. dis. 3<sup>rd</sup> rate land.

East From corner of Sec. Nos. 19, 20, 29 & 30 thence East  
 & set up tally stakes  
 80.50 came to a line run North from the corner of  
 Sec. Nos. 28, 29, 32 & 33. Township No. 8. Range No.  
 D. W. D. & fell 14 lks. S. of the end of said line

North From the corner of Sec. Nos. 20, 21, 28 & 29 thence N.  
 2.82 a Hickory tree 12 ins. dia. in the line  
 10.00 over level land, cov. with a young growth of  
 Oak and Ash  
 10.70 a Water course 3 lks. wide runs N 36° W  
 15.07 a White Oak tree 18 ins. dia. in the line  
 29.32 a Water course 3 lks. wide, runs N 30° W  
 50.78 a White Oak tree 24 ins. dia. in the line  
 came over land of a gentle changing surface  
 timbered with White Oak, Hickory &c. Good

land for small grain  
 60.82 a Pin Oak tree 20 ins. dia. in the line  
 78.15 a White Oak tree 16 " " " " "  
 80.00 over land covered with water in a wet time. Timber  
 with Maple & Pin Oak, better for grain than  
 any other use. Set stake at the corner of Sect.  
 No. 16, 17, 20 & 21 S. S. R. D. W. Dis. a White Oak  
 tree 20 ins. dia. bears N 56° 24' W. dis. & another  
 White Oak tree 18 ins. dia. bears S 12° E 41' W. 3<sup>d</sup> rate.

East From corner of Sect. 20, 21, 28 & 29 thence East  
 81.40 came to a line seen North from the corner of Sect.  
 No. 27, 28, 33 & 34 S. S. R. D. & fell 20 lbs. North of  
 the end of said line

North From the corner of Sect. No. 21, 22, 27 & 28 thence N.  
 commenced rising a hill

3.00 rose a hill  
 5.90 descended a hill to a Water course 4 lbs. wide S 29° W  
 15.58 a White Oak 13 ins. dia. in the line  
 36.90 a Hickory tree 15 ins. dia. in the line  
 47.00 over level land, timbered with Oak and Hickory,  
 good soil for small grain  
 57.00 descended to a Water course 4 lbs. wide, runs N 20° W,  
 rapid and strong.  
 57.12 Begin to rise a hill  
 56.00 Rising gradually  
 70.84 down a gradual descent to a stream of water  
 20 lbs. wide runs N 40° E  
 71.60 a Blue Ash tree 14 ins. dia. in the line  
 74.00 over a small bottom  
 80.00 up a gradual rise over rich land timbered with  
 Oak, Ash, Sugar tree &c. Set stake at the corner of  
 Sect. No. 15, 16, 21 & 22 - a Sugar tree 15 ins. dia. bears  
 N 47° 12' W. dis. & a Black Walnut tree 26 " " "  
 S 23° E 66 lbs. dis. Marked &c - 3<sup>d</sup> rate,



J. S. R. D. W. 1<sup>st</sup> Mer.

East	From corner of Sec. (No. 27. 28. 21 & 22 thence East & set up tally stakes
80.60	Came to a line run North from corner of Sec. (No. 26. 27. 34 & 35 J. S. R. D. W. D <sup>is</sup> & fell 44 lbs. South of the end of said line
North	from corner of Sec. (No. 22. 23. 26 & 27 thence N.
9.00	a White Oak tree 15 ins. dia. in the line
21.50	a Water course 8 lbs. wide, runs East
32.00	a " " 3 " " " N 20° E
40.20	a Poplar tree 20 ins. dia. in the line
50.50	a Water course 10 lbs. wide runs N 30° E
71.00	a " " 8 " " " N 60° E
76.06	a Black Oak tree 24 ins. dia. in the line
79.50	a Water course runs N 50° E
80.00	over rough hilly 3 <sup>d</sup> rate land, timbered with Oak & Hickory Sugar tree &c. set stake at the corner of Sec. (No. 14. 15. 22 & 23 a Sugar tree 10 ins. dia. bears N 66° W 12 lbs. dia. & another Sugar tree 14 ins. dia. bears S 50° W 17 lbs. dia. — Marked to the plan.
East	From the corner of Sec. (No. 22. 23. 26 & 27 thence East & set up tally stakes
80.40	Came to a stake set at the end of a line run North from the corner of Sec. (No. 25. 26. 35 & 36. 1 <sup>st</sup> No. 8. R. No. 2. W. D <sup>is</sup> and fell 3 lbs. South from the end of said line
North	From the corner of Sec. (No. 23. 24. 25 & 26. Township (No. 8. R. No. 2. W. D <sup>is</sup> thence North
6.33	down the hill. a Sycamore tree 24 ins. dia. in the line
8.50	Came to the side of a Water course, runs N 10° E
20.50	over a narrow bottom between 2 hills — came to

T. & R. 2. N. 1. <sup>th</sup> Mer

stream again, runs N 28 W. 12 lks. Wide  
 21.00 Begin to rise a hill  
 27.33 a Hickory tree 16 ins. dia. in the line  
 33.50 passed over an easy hill to a water course 8 lks. wide; runs West.  
 36.00 over a small bottom, begin to rise a hill  
 40.70 a White Oak tree 17 ins. dia. in the line  
 52.00 over a high hill, the land passed over may be denominated <sup>3<sup>d</sup></sup>rate soil rich timbered with Oak Ash; Sugar tree &c.  
 56.09 a Hickory tree 20 ins. dia. in the line  
 65.00 over level land  
 65.50 Begin to descend a hill  
 78.38 a Lignum tree 18 ins. dia. in the line  
 80.00 descended a hill came over land timbered with Oak, Sugar tree & Hickory set stake at the corner of Sec. (No. 13. 14. 23 & 24. a Sugar tree 16 ins. dia. bears N 38 E 36 lks. dis. & an Elm tree 9 ins. dia. bears S 47 W 27 lks. dis. Marked to the place - 3<sup>d</sup> rate

East From corners of Sec. (No. 23. 24. 25 & 26. T. No. 8. R. No. 2. N. 1. <sup>th</sup> Mer thence East  
 80.52 came to the East Boundary of T. No. 8. R. No. 2. N. 1. <sup>th</sup> Mer and fell 29 lks. North

North From corners of Sec. (No. 24 & 25. T. No. 8. R. No. 2. N. 1. <sup>th</sup> Mer thence North on the East Boundary of T. & R. 2.  
 10.25 a Hickory tree 24 ins. dia. in the line  
 23.00 over level land, timbered with Oak. Hickory &c., begin to descend a hill  
 62.00 descended a rising hill, came to a Cabin & improvements  
 66.15 a Blue Ash tree 24 ins. dia. in the line  
 78.71 came to a stake standing for corners of Sec. (No. 18 & 19. T. 8. R. 2. N. 1. <sup>th</sup> Mer  
 80.00 over rich bottom timbered with Oak, Walnut &c. set stake at the corner of Sec. (No. 13 & 24 T. 8. R. 2. N. 1. <sup>th</sup> Mer



## T. 8. R. 2. W. 1. Sec.

an Elm tree 30 ins. dia. bears S 73 W 61 Mrs. dis. &  
 a Hackberry tree 13 ins. dia. bears S 30 E 27 Mrs. dis.  
 Marked & numbered to the plan Variation 4.45  
 Date.

West From corner of Sec. (No. 24 & 25 Township No. 8  
 R. No. 2. W. 1. Sec. thence West to the corner of  
 Sec. (No. 23 24. 25 & 26

75.05 a Black Oak tree 16 ins. dia. in the line  
 12.00 a small Water course 2 Mrs. wide, runs North  
 18.10 a White Oak tree 18 ins. dia. in the line  
 27.00 a Water course 3 Mrs. wide, runs N 5 E  
 28.08 a White Oak tree 32 ins. dia. in the line  
 40.26 over level land well timbered with Oak Hickory &c.  
 Date land good soil for small grain. Set 7 sec.  
 post at the intermediate distance - a Gum tree 13  
 ins. dia. bears N 72 W 17 Mrs. dis. & a White Oak tree  
 18 ins. dia. bears S 75 E 28 Mrs. dis. Marked 7 sec.

West Continue West

5.00 a White Oak tree 36 ins. dia. in the line  
 21.50 over level Date land, timbr. with Oak & Hickory  
 22.00 Begin to descend steep hill  
 30.08 a Hickory tree 18 ins. dia. in the line  
 36.40 a Water course 12 Mrs. wide; runs N 5 W  
 40.26 rising a hill, the last 1/4 of this mile very  
 rough, rich soil, timbr. with Oaks, Ash Walnut &c.  
 came to the corner of Sec. (No. 23, 24. 25 & 26  
 T. No. 8. R. No. 2. W. 1. Sec. from which corner a  
 Sugar tree bears N 25 E 45 Mrs. dis. & an Elm tree  
 16 ins. dia. bears S 48 W 32 Mrs. dis. —  
 Marked & numbered to the plan. Date.

West From corners of Sec. (No. 23, 24. 25 & 26, thence  
 West to the corner of Sec. (No. 22, 23. 26 & 27  
 Commences rising a hill

- 8.76 a Sugar tree 13 ins. dia. in the line  
 12.00 Rose the hill  
 18.30 a White Oak tree 16 ins. dia. in the line  
 31.72 a Water course 6 fms. wide, runs N 12° W  
 40.20 over land sufficiently level for cultivation, well  
 timbered with White Oak, Black Oak & 2<sup>d</sup> rate,  
 good soil for small grain, set 1/2 sec. post at the  
 intermediate dis. a White Oak tree 26 ins. dia.  
 bears S 10° W 51 fms. dis. & another White Oak tree  
 24 ins. dia. bears N 62° E 10 fms. Marked 1/2 sec. P.

West Continue West

- 14.00 a Water course 4 fms. wide runs N 10° W  
 15.36 a White Oak tree 24 ins. dia. in the line  
 32.00 over level land timbered with Oak & Michong  
 36.50 a Water course 3 fms. wide, runs North  
 40.20 Rose a small hill came to corner of Sec. P. No. 22.23.  
 26 & 27. T. No. S. R. No. D. W. Dis. from whence a  
 Beech tree 12 ins. dia. bears N 27° E 15 fms. dis. & a  
 White Oak tree 13 ins. dia. bears N 76° W 21 fms. dis.  
 2<sup>d</sup> rate.

West Join corner of Sec. P. No. 22.23.26 & 27 thence West  
 to the corners of Sec. P. No. 21.22.27 & 28.

- 23.80 a White Oak tree 36 ins. dia. in the line  
 37.50 a " " " 12 " " " " "  
 38.80 a Water course 3 fms. wide, runs N 60° W  
 40.30 over level 2<sup>d</sup> rate land, well timbered with White  
 Oak, Black Oak, Michong &c. set 1/2 sec. post at  
 the intermediate distance - a White Oak tree 12 ins.  
 dia. bears N 68° E 19 fms. dis. & another White Oak tree  
 22 ins. dia. bears S 89° W 45 fms. dis. Marked 1/2 sec. P.

West Continue West

- 2.58 a White Oak tree 16 ins. dia. in the line  
 8.60 a Water course 8 fms. wide runs S 70° W

# E. S. R. D. W. 1<sup>st</sup> Mer.

21.72 a White Oak tree 13 ins. dia. in the line  
 23.00 a Water course 3 lks. wide runs S 75° W  
 40.30 over rough State land, timbered with Oak, Hickory  
 &c. some Walnut &c. come to the corner of Sec.  
 No. 21. 22. 27 & 28. Township No. 8. Range 2  
 W. 2<sup>d</sup>. a Walnut tree 16 ins. dia. bears N 70° W 21  
 lks. dis. & an Elm tree 8 ins. dia. bears S 44 E 29 lks. dis.

West From corner of Sec. No. 21. 22. 27 & 28 thence  
 West to the corner of Sec. No. 20. 21. 28 and 29  
 T. No. 8. R. No. 2. W. 2<sup>d</sup>

4.06 down a steep hill to a Water course runs S. 5 lks. wide  
 6.20 a Walnut tree 16 ins. dia. in the line  
 10.30 descended steep hill to a Water course 13 lks. wide  
 runs N 55° W  
 28.90 a White Oak tree 28 ins. dia. in the line  
 31.76 a Water course 10 lks. wide, runs N 79° W  
 40.70 over very rough hilly land, timbered with White  
 Oak, Black Oak & Hickory - Set 1/2 sec. post at  
 the intermediate distance a White Oak tree 14 ins. dia.  
 bears South 14 lks. dis. & another White Oak tree  
 15 ins. dia. bears N 56° 34 lks. dis. Marked  
 1/2 sec. - 3<sup>d</sup> rate

West Continue West

9.00 a White Oak tree 24 ins. dia. in the line  
 39.40 a Black " " 18 " " " "  
 40.70 over flat level State land, timbered with  
 White Oak, Black Oak, Hickory &c. Come to the  
 corner of Sec. (No. 20. 21. 28 & 29. Township  
 No. 8. R. No. 2. W. 2<sup>d</sup> from whence a Black Oak  
 tree 16 ins. dia. bears N 76° 33 lks. dis. & a Hickory  
 tree 12 " " " S 35° W 39 lks. dis. - Marked &c.

West From corner of Sec. (No. 20. 21. 28 & 29 thence  
 West to the corner of Sec. (No. 19. 20. 29 and 30

Township No. 8. R. No. 2. W. 9<sup>th</sup>

- 9.10 a White Oak tree 24 ins. dia. in the line  
 10.60 a Water course 5 lbs. wide, runs N 15° W  
 16.65 a Stream of water 8 lbs. wide, runs N 15° E  
 33.69 a White Oak tree 16 ins. dia. in the line  
 40.25 over land divided into small ridges of an easy ascent  
 D<sup>o</sup> rate land, timbered with Oak Hickory &c. good  
 soil for small grain - set 1<sup>st</sup> Dec. post at the  
 intermediate distance - a White Oak tree 14 ins.  
 dia. bears N 33° E 9 lbs. dis. & another White Oak  
 tree 10 ins. dia. bears N 40° W 9 lbs. dis. Marked  
 half sections

West Continue West

- 1.90 a Water course 3 lbs. wide, runs North  
 9.36 a White Oak tree 28 ins. dia. in the line  
 20.10 a Water course 3 lbs. wide, runs North 70° West  
 32.00 over D<sup>o</sup> rate land may be called level timbered with  
 Oak Hickory &c.  
 33.50 Begin to descend a steep hill  
 34.50 a Black Oak tree 13 ins. dia. in the line  
 37.10 Descended hill to a stream of water 24 lbs. wide,  
 runs N 15° W  
 39.00 came to another part of said stream 10 lbs. wide  
 runs N 10° E  
 40.25 Came to the corner of Sec. No. 19. 20. 29 & 30. Town  
 No. 8. R. No. 2. W. 9<sup>th</sup> from whence a Sugar tree 14  
 ins. dia. bears N 69° E 21 lbs. dis. & another Sugar tree  
 10 ins. dia. bears N 40° W 23 lbs. dis - Marked &c.  
 D<sup>o</sup> rate.

West From corner of Sec. No. 19. 20. 29 & 30 Township No. 8  
 R. No. 2 W. 9<sup>th</sup> thence West

- 10.52 a Black Oak tree 15 ins. dia. in the line  
 15.00 up a gradual rise  
 33.25 a Black Oak tree 16 ins. dia. in the line

S. R. D. W. 1<sup>st</sup> Mer.

- 36.00 Over level 2<sup>d</sup> rate land, Timbered with White Oak & Black Oak. Michig. &c.  
 40.00 Set  $\frac{1}{2}$  sec. post - a Black Oak tree 13 ins. dia. bears N  $39^{\circ}$  W 26 lbs. dis. & a Black Oak tree 18 ins. dia. bears S  $39^{\circ}$  E 33 lbs. dis. Marked  $\frac{1}{2}$  sec. 2<sup>d</sup> rate.

## West Continue West

- 2.50 descended to a Water course 25 lbs. wide, runs N  $28^{\circ}$   
 2.80 Begin to ascend a hill  
 6.23 a White Oak 24 ins. dia. in the line  
 7.00 Rose the hill  
 19.00 a Water course 3 lbs. wide, runs S  $30^{\circ}$  E  
 21.08 a Gum tree 18 ins. dia. in the line  
 27.30 a Spring branch runs S  $40^{\circ}$  E  
 32.22 over rough hilly 3<sup>d</sup> rate land timbered with Oak & Michig. - came to the West Boundary of Township No. 8. R. No. 2. W. D<sup>y</sup>. and fell 25 lbs. South of the corners of Sec. No. 24 & 29. Town No. 9. R. No. 3. W. D<sup>y</sup>. Set stake at the corners of Sec. No. 19 & 30 Town No. 8. R. No. 2. - a White Oak tree 13 ins. dia. bears S  $49^{\circ}$  W 13 lbs. dis. & a Black Oak tree 24 ins. dia. bears North 10 lbs. dis. Marked & numbered to the plan

North From the corner of Sec. No. 19. 20. 29 & 30 T. No. 8. Range No. 2. W. D<sup>y</sup>. thence North

- 6.50 Came to a small creek 30 lbs. wide, runs N  $10^{\circ}$  W  
 13.62 a Black Oak tree 14 ins. dia. in the line  
 20.00 passed over the point of a hill of an easy ascent, rich soil. timbered with Sugar tree, Oak &c.  
 21.20 a Water course 15 lbs. wide, runs West  
 22.00 Begin to rise a hill  
 30.67 a Black Oak tree 16 ins. dia. in line, rose a hill  
 42.20 descended to a Water course 9 lbs. wide, runs West  
 42.50 Begin to ascend a steep hill  
 47.17 a White Oak tree 12 ins. dia. in the line



S. S. R. D. W. 1<sup>st</sup> Mer.

48.00 Rose the Mill  
 51.65 a White Oak tree 40 ins. dia. in the line  
 76.26 a " " " 16 " " " "  
 80.00 over-level 2<sup>nd</sup> rate land, timbered with White Oak,  
 Black Oak & Hickory - set stakes at the corner of  
 Sec. No. 17, 18, 19 & 20 - a White Oak tree bears North  
 11 lrs. dis. & another White Oak tree 24 ins. dia. bears  
 S 10 E 20 lrs. dis. - Measured &c.

East From corner of Sec. No. 17, 18, 19 & 20 thence East  
 & set up tally stakes  
 80.09 Came to the end of a line, run North from corner  
 of Sec. No. 20, 21, 28 & 29 & fell 60 lrs. South of  
 the said line.

North From corner of Sec. No. 16, 17, 20 & 21, thence North  
 5.70 a Water course 8 lrs. wide, runs S 70 W  
 8.47 a Black Oak tree 18 ins. dia. in the line  
 22.95 a White Oak tree 36 " " " "  
 26.06 a Water course 5 lrs. wide runs S 80 W  
 47.76 a White Oak tree 56 ins. dia. in the line  
 65.50 a Water course 2 lrs. wide runs S 16 W  
 71.20 a Water course 3 lrs. wide, runs S 16 W  
 70.00 a Hickory tree 14 ins. dia.  
 80.00 over a handsome flat of land well timbered with  
 White Oak, Black Oak, Hickory &c. good 2<sup>nd</sup> rate land.  
 set stake at the corner of Sec. No. 8, 9, 16 & 17 a White  
 Oak tree 20 ins. dia. bears S 49 E 48 lrs. dis. & another  
 White Oak tree 14 ins. dia. bears S 43 W 8 lrs. dis.  
 Measured &c.

East From corners of Sec. No. 16, 17, 20 & 21, S. No. 8, R.  
 No. 2, W. D. thence E. & set up tally stakes.  
 80.48 Came to the end of a line run North from the corner  
 of Sec. No. 21, 22, 27 & 28 & fell 35 lrs. North from  
 the end of said line

North From the corner of Sec. No. 16, 17, 20 & 21 thence N.



H. S. R. D. W. 1<sup>st</sup> Nov.

- 4.75 a Water course 5 lks. wide runs S<sup>55</sup>E, rising a hill  
 15.00 Rose the hill  
 22.29 a White Oak tree 18 ins. dia. in the line  
 37.00 a " " " 24 " " " "  
 53.00 over level D<sup>rate</sup> land. Timbered with Oak, Hickory &c.  
 Begin to descend a hill  
 55.50 a Water course 5 lks. wide runs N<sup>40</sup>E  
 62.12 a White Oak tree 16 ins. dia. in the line  
 80.00 over level D<sup>rate</sup> land, timbered with Oak, Hickory &c. Set  
 stake at the corner of Sec. No. 9. 10. 15 & 16. a Black Oak  
 tree 20 ins. dia. bears N<sup>13</sup>E 40 lks. dis. & a White Oak tree  
 13 ins. dia. bears S<sup>8</sup>E 61 lks. dis.

- East From corner of Sec. No. 15. 16. 21 & 22 thence East &  
 set up tally stakes  
 80.10 leamed to the end of a line, run N. from corner of  
 Sec. No. 22. 23. 26 & 27. & fell 19 lks. North.

- North From the cor. of Sec. No. 14. 15. 22 & 23. thence N.  
 10.00 descending a hill to a bottom adjoining a run or creek  
 18.00 over a small rich bottom to a Water course 5 runs N<sup>30</sup>E  
 20.50 to the foot of a hill - passed over rich land, timbered  
 with Oak, Ash, Sugar tree & Walnut  
 27.82 a Blue Ash tree 12 ins. dia. in the line  
 34.28 a Hickory tree 18 " " " "  
 36.00 Rose a steep hill  
 36.50 Begin to descend the hill  
 51.50 descended hill to a Water course 4 lks. wide, runs N<sup>60</sup>E  
 52.50 Begin to rise another hill, also steep  
 55.44 an Elm tree 14 ins. dia. in the line  
 65.00 Rose a steep hill  
 66.00 begin to descend again \* 75.00 ascending a steep hill  
 80.00 over-level rich land, this mile 3<sup>rd</sup> rate. land very rough  
 surface, but rich soil. Timbered with Oak, Hickory, Ash,  
 Sugar tree, Walnut &c. Spice under brush, - set stake  
 at the corner of Sec. No. 10. 11. 14 & 15 - a Walnut tree 10  
 ins. dia. bears N<sup>35</sup>E 6 lks. dis. & a Walnut tree 7 ins. dia

bears \$35 W 44 lbs. dis.

East From the corner of Sec. No. 14, 15, 22 & 23, thence East & set up tally stakes

81.44 came to a line run North from the corner of Sec. No. 23 & 24, 25 & 26, T. No. 8, R. No. 2, W. 1/2 & fell 6 lbs. South from the end of the said line

East From the corner of Sec. (No. 13, 14, 23 & 24 T. & R. D. M. thence East & set up tally stakes

79.92 came to the W. boundary of T. No. 8, R. 2, W. 1/2 & fell 20 lbs. S. of the end of a line run N. from the cor. of Sec. 24 & 25

North From the corner of Sec. (No. 13 & 24 thence North on the E. boundary of T. No. 8, R. No. 2, W. 1/2

13.68 came to White water river, passed over bottom land, timbered with Buck, ash, Walnut, Hackberry & Sugar tree.

16.90 passed over White water River, having taken the distance over the same

21.15 over a small bottom

36.00 To steep pitch of a hill

46.83 a Buck tree 18 ins. dia. in the line

50.00 a White Oak tree 18 ins. dia. in the line

63.75 over a handsome flat of 1<sup>st</sup> rate land, timbered with Oak, ash, Sugar tree, Walnut, Buck &c.

78.60 Rising a hill

80.00 Up a steep hill - set stake at the corner of Sec. (No. 12 & 13, T. No. 8, R. No. 2, W. 1/2 a Hickory tree 14 ins. dia. bears \$19 @ 34 lbs. dis. & an ash tree 12 ins. dia. bears \$26 @ 27 lbs. dis. marked & numbered to the plan Variation 4.45 - 1<sup>st</sup> rate.

West From corners of Sec. (No. 13 & 24 thence West to the cor. of Sec. (No. 13, 14, 23 & 24 - T. No. 8, R. No. 2, W. 1/2

6.00 over rich bottom to the foot of a steep hill

39.96 over very rough 3<sup>rd</sup> rate land, timbered with Oak, Hickory &

S. S. R. I. W. 1<sup>st</sup> Mer.

Sugar tree much under brush, set  $\frac{1}{2}$  sec. post at the intermediate dis. a Hickory tree 10 ins. dia. bears N 68 E 15 lbs. dis. & a Black Oak tree 28 ins. dia. bears S 38 W 15 lbs. dis. Marked  $\frac{1}{2}$  sec.

## West Continue West

11.75 descended steep hill to a Water course 5 lbs. wide runs N 30 W

14.38 a Blue Ash tree 13 ins. dia. in the line, rising a hill

23.94 a White Oak tree 32 ins. dia. in the line

25.00 Rose a steep hill

30.00 on the top of a hill

34.50 a deer lick much frequented 2 chains North at right angles with the line

39.96 descending a hill, this  $\frac{1}{2}$  mile may be called 3<sup>d</sup> rate timb<sup>d</sup> with Oak, Hickory & Sugar tree came to the corner of Sec. No. 13, 14, 23 & 24.

Township No. 8, Range No. 2, W. 9<sup>th</sup> - from said corners a Sugar tree 16 ins. dia. bears N 35 E 36 lbs dis. & an Elm tree 9 ins. dia. bears S 47 W 27 lbs. dis. Marked & numbered to the plan

## North From the corners of Sec. No. 13, 14, 23 &amp; 24 thence N.

1.00 Begin to descend a hill

10.65 a Beech tree 18 ins. dia. in the line

14.75 descended the hill - came to a Water course 4 lbs. wide, runs N 30 E

15.00 came to the river bottom

17.50 a Water course 25 lbs. wide runs N 50 E

27.00 White water 1 chain at right angles

31.78 came to White water river

36.20 crossed the river obliquely

51.10 Rose the bank of the river

53.00 over a small bottom to the foot of a hill

59.00 Rose the hill

61.00 a Black Walnut tree 16 ins. dia. in the line

- 67.87 a Sugar tree 24 ins. dia. in the line  
 75.00 over level rich land timbered with Ash, Sugar & Walnut  
 80.00 over rough points of hills, rich soil, timbered with Ash  
 Sugar tree 4c. Set stake at the corner of Sec. No. 11.  
 12.13 & 14 - a Blue Ash tree 16 ins. dia. bears S 24 E  
 5 lbs. dia. & another Blue Ash tree 28 ins. dia. bears N 6 W  
 32 lbs. dia. - Marked 4c - 3<sup>rd</sup> rate

West From the corner of Sec. No. 13. 14. 23 & 24 thence  
 West to the corner of Sec. No. 14. 15. 22 & 23. Down  
 S. R. D. W. Dis

- 8.68 a Blue Ash tree 18 ins. dia. in the line  
 12.50 Down a steep hill  
 17.00 a Water course 15 lbs. wide, runs N 30 E  
 20.00 over bottom to the foot of a hill  
 23.10 an Elm tree 24 ins. dia. in the line, rising a hill  
 37.00 Pass a steep high hill  
 40.72 This  $\frac{1}{2}$  mile very rough & hilly, but rich soil, timbered  
 with Oak, Ash, Sugar tree 4c. Set  $\frac{1}{2}$  sec. post at the  
 intermediate distance - a Black Oak tree 14 ins. dia.  
 bears S 49 E 21 lbs. dia. & another Oak " 24 " "  
 " N 72 E 21 lbs. dia. - Marked  $\frac{1}{2}$  sec. 3<sup>rd</sup> rate

West Continue West

- 7.00 descending came opposite a deer lick 50 links  
 south of the line  
 11.30 descended hill to a Water course 6 lbs. wide runs  
 North, begin immediately to rise another hill  
 14.54 a Sugar tree 16 ins. dia. in the line  
 19.81 a White Oak 18 " " " " "  
 27.65 a Sugar tree 14 " " " " "  
 40.72 Came to the corner of Sec. No. 14. 15. 22 & 23  
 S. No. 8. R. No. 2. W. Dis passed over rough hilly  
 land, 3<sup>rd</sup> rate in point of quality, timbered with Oak  
 Sugar tree & Hickory, much brush - a Sugar tree 10  
 ins. dia. bears N 6 E W 12 lbs. dia. & another Sugar tree



S. S. R. 2. W. 1. <sup>st</sup> Meer.

	14 ins. dia. bears S 50° W 17 lrs. dis. - Marked & numbered to the place
West	From the corner of Sec. (No. 14, 15, 22 & 23) thence West to the corner of Sec. (No. 15, 16, 21 & 22), S. S. R. 2
0.50	a Water course 4 lrs. wide, runs North
15.74	a Hickory tree 16 ins. dia. in the line
20.70	passed over a hill to a Water course 5 lrs. wide, runs N 15° E
21.00	Begin to rise a hill
31.00	Pass the hill
31.96	a Hickory tree 18 ins. dia. in the line
40.05	over level land, rich soil, this 1/2 mile may be termed 3 <sup>rd</sup> rate - timbered with Oak, Ash, Sugar tree &c. Set 1/2 sec. post at the intermediate distance a Sugar tree 13 ins. dia. bears S 49° W 9 lrs. dis. & another Sugar tree 6 ins. dia. bears N 15° W 17 lrs. dis. - Marked half sections
West	Continue West
10.20	a Black Oak tree 20 ins. dia. in the line
34.60	over rough hilly land, came to a Water course 20 lrs. wide, runs N 55° E
36.00	Begin to rise a hill, this 1/2 mile is 3 <sup>rd</sup> rate land, being very rough & hilly - rich soil. Timbered with Oak, Sugar tree, Ash &c
40.05	Came to the corner of Sec. (No. 15, 16, 21 & 22) S. S. R. 2. W. 2 <sup>nd</sup> - a Sugar tree 15 ins. dia. bears N 4° W 12 lrs. dis. & a Black Walnut tree 26 ins. dia. bears S 23° E 66 lrs. dis. - Marked & numbered to the place
West	From the corner of Sec. (No. 21, 22, 15 & 16) thence West to the corner of Sec. (No. 16, 17, 20 & 21) Township No. 8. R. No. 2. W. 2 <sup>nd</sup> Commence rising a hill

- 12.00 Rose a Deep Hill  
 21.08 a White Oak tree 10 ins. dia. in the line  
 28.06 a " " " 26 " " " "  
 40.24 over level <sup>2<sup>d</sup></sup> rate land, well timbered with Oak.  
 Set stake at the intermediate distance - a Black  
 Oak tree 24 ins. dia. bears  $N^{\circ}E$  17 lbs. dis. & another  
 Black Oak tree 13 ins. dia. bears  $N^{\circ}W$  15 lbs. dis.  
 Marked half sections

West Continue West

- 14.95 a White Oak tree 16 ins. dia. in the line  
 25.38 a Maple tree 16 " " " "  
 39.80 a Water course 2 lbs. wide runs  $N^{\circ}E$   
 40.24 over level flat land, timbered with Oak, Hickory  
 & maple - came to the corner of Sec. No. 16. 17.  
 20 & 21 S. S. R. D. W. 1<sup>st</sup> - a White Oak tree 20  
 ins. dia. bears  $N^{\circ}E$  24 lbs. dis. & another White  
 Oak tree 18 ins. dia. bears  $N^{\circ}E$  41 lbs. dis. <sup>2<sup>d</sup></sup> rate.

West From corner of Sec. No. 16. 17. 20 & 21. thence  
 West to the corner of Sec. No. 17. 18. 19 and 20.  
 S. No. 1. R. No. 2. W. Dis

- 4.10 a Water course 3 lbs. wide, runs  $N^{\circ}E$   
 16.30 a Hickory tree 14 ins. dia. in the line  
 27.24 a Black Oak tree 18 " " " "  
 38.15 a Water course 3 lbs. wide runs  $N^{\circ}E$   
 40.04 over level <sup>2<sup>d</sup></sup> rate land, timbered with White Oak,  
 Black Oak & Hickory - Set stake at the intermediate  
 distance - a White Oak tree 15 ins. dia. bears  $N^{\circ}$   
 $5^{\circ}W$  24 lbs. dis. & a Gum tree 14 ins. dia. bears  
 $S^{\circ}E$  21 lbs. dis. - Marked  $\frac{1}{2}$  sec.

West Continue West

- 13.55 a Black Oak tree 16 ins. dia. in the line  
 31.93 a White " " 18 " " " "  
 40.04 over level land, good soil for small grain, timber

## J. S. R. Q. West. Me.

with White Oak, Black Oak, Hickory &c. came  
to the corner of Sec. No. 17. 18. 19 & 20. T. 8. R. 2. W.  
a White Oak tree bears North 11 hrs. dis. &  
another White Oak tree 24 ins. dia. bears N 10 E 20  
hrs. dis. Marked & numbered to the plan. State

West From the corner of Sec. No. 17. 18. 19 & 20. T. No. 8.  
R. No. 2. W. Distance West

5.85 a White Oak tree 40 ins. dia. in the line  
23.55 a Hickory tree 15 " " " " "  
29.90 a White Oak tree 36 " " " " "  
40.00 over level land timbered with Oak, Hickory &c.  
good soil for small grain, 2<sup>d</sup> rate land, Set  
1/2 sec. post - a Hickory tree 13 ins. dia. bears N 8 E  
25 hrs. dis. & another Hickory tree 14 ins. dia. bears  
N 32 E 8 hrs. dis. - Marked 1/2 Sec.

West Continue West

5.00 over level 2<sup>d</sup> rate land  
5.50 Begin to descend a hill  
8.31 a Hickory tree 14 ins. dia. in the line  
19.00 descended steep hill to a rapid water course or  
creek, runs North  
20.50 Begin to rise a hill  
24.60 a Water course 4 hrs. wide, runs N 70 E  
32.02 over rough hilly land, timbered with Hickory  
Oak &c. 3<sup>d</sup> rate land came to the West boundary  
of Township No. 8. R. No. 2. W. Dis. - I fell  
12 hrs. South of a stake set for corner of Sec.  
No. 13 & 24. T. No. 9. R. No. 3. Set stake at the  
corner of Sec. No. 18 & 19. T. No. 8. R. No. 2 W. Dis.  
a Black Oak tree 12 ins. dia. bears N 73 E 11 hrs. dis.  
& a White Oak tree 24 " " " " N 21 W 41 " "  
Marked & numbered to the plan

North From the corner of Sec. No. 18. 17. 20 & 19 thence North

- 13.50 over level land timbered with Oak & Hickory  
 16.75 down an easy descent to a water course 6 lbs. wide, runs N 90° W  
 29.62 a water course 6 lbs. wide, runs N 86° W  
 33.28 a Hickory tree 15 ins. dia. in the line  
 40.94 a White Oak " 15 " " " " "  
 53.50 a Blue Ash tree 24 " " " " "  
 57.88 a water course 10 lbs. wide  
 61.50 in the water course - left the water course, it runs N 10° W  
 66.00 Came to another water course 12 lbs. wide, runs N 30° W passed over rough hilly land.  
 68.50 Begin to rise a hill  
 78.00 I lose steep hill  
 80.00 Set stakes This mile may be called Grate land the timber is generally Hickory, Sugar tree Oak &c. Set stake at the corner of Sec. (No. 7. 8. 17 & 18. T. S. R. Q. W. Dis - a Hickory tree 16 ins. dia. bears N 14° E 18 lbs. dia. & another Hickory " 14 " " " N 31° W 4 lbs. dia. - Marked &c.

East From the corner of Sec. (No. 7. 8. 17 & 18. T. S. R. Q. W. No. 2, thence East & set up tally stakes  
 79.74 Came to a line run North, from the corner of Sec. No. 16. 17. 20 & 21 T. S. R. Q. W. No. 2. Western Dis & fell 66 lbs. North from the end of said line

North From the cor. of Sec. No. 8. 9. 16 & 17. thence North  
 2.50 a water course 9 lbs. wide, runs N 76° W  
 7.25 a Gum tree 16 ins. dia. in the line  
 16.15 a water course 3 lbs. wide, runs N 50° W  
 18.58 a Buck tree 16 ins. dia. in the line  
 50.00 over level 2<sup>d</sup> rate land, timbered with Oak. Hickory & some Buck  
 57.60 a water course 3 lbs. wide runs N 15° E begin to descent gradually



S. S. R. D. W. 1<sup>st</sup> Mer

54.110 a small Water course 3 Mts. wide, runs East  
 66.80 a Black Oak tree 15 ins. dia. in the line  
 80.00 over level 2<sup>nd</sup> rate land, well timbered with W.  
 Oak, Black Oak &c. - set stake at the corner  
 of Sec. No. 4, 5, 8 & 9. S. S. R. D. W. 1<sup>st</sup> Mer a Hickory  
 tree bears N 70° W 78 Mts. dis. & a White Oak tree  
 30 ins. dia. bears S 78° E 33 Mts. dis. Marked &  
 numbered to the place

East From the corner of Sec. No. 8, 9, 16 & 17. S. S. R. D.  
 W. 1<sup>st</sup> Mer thence East & set up tally stakes  
 86.65 came to the end of a line, run North from the  
 corners of Sec. No. 15, 16, 21 & 22, S. S. R. D. W. 1<sup>st</sup> Mer  
 & fell 6 Mts. South from the end of said line

North From the corners of Sec. No. 9, 10, 15 & 16, thence N.  
 9.50 a Black Oak tree 15 ins. dia. in the line  
 18.55 a " " " " " " " " " " " "  
 23.00 on the top of a hill descending East & West  
 from the line  
 23.50 Begin to descend a hill  
 33.60 descended steep hill to a Water course 8 Mts. wide  
 runs S 75° E  
 35.00 Begin to rise another hill  
 46.06 a Hickory tree 16 ins. dia. in the line  
 49.00 Rose the hill  
 68.00 over level land, begin to descend the hill  
 80.00 descended steep hill - This mile may be called  
 3<sup>rd</sup> rate land, timbered with Oak, Hickory sugar  
 tree &c. set stake at the corner of Sec. No. 3,  
 4, 9 & 10. - a Blue ash tree 18 ins. dia. bears  
 N 75° E 31 Mts. dis. & another Blue ash tree 12 ins.  
 dia. bears S 25° W 34 Mts. dis.

East From the corner of Sec. No. 9, 10, 15 & 16. thence  
 East & set up tally stakes.

79.80	Came to the end of a line run North from corner of Sec. (No. 14. 15. 22 & 23. T. No. 8. R. No. 2. N. D. & fell 12 hrs. North from the end of said line
North	From the corner of Sec. No. 14. 15. 10 & 11, thence N.
17.73	a Hickory tree 18 ins. dia. in the line
18.00	over high bottom, timbered with Oak, Ash, Hickory &c
18.50	descended a small bank
20.00	rose another ascent
23.15	came to a descent or River bank
24.95	descended to the water edge
29.00	Crossed the river, runs nearly east
44.66	a Sugar tree 10 ins. dia. in the line
45.50	Begin to rise a small hill, came over bottom land much covered with brush & briars timbered thinly with Oak, Ash &c
46.58	Rose a small hill
65.00	a mulberry tree 12 ins. dia. in the line
70.00	over a flat of level land covered with brush & briars, some scattering trees of Hickory & Sugar tree. D <sup>ist</sup> ate land.
71.80	descended to a water course 12 hrs. wide, runs S 50 E
76.00	in the water course from this it bears S 60 W. up stream
80.00	over a small bottom adjoining the run - set stake at the corner of Sec. No. 2. 3. 10 & 11. T. 8. R. 2. W. a Walnut tree 8 ins. dia. bears S 36 E 29 hrs. dia. & a Buckeye tree 12 ins. dia. bears N 32 W 14 hrs. dia. Marked to the place 3 <sup>rd</sup> rate
East	From the corner of Sec. No. 14. 15. 10 & 11, thence East & set up tally stakes
81.35	Came to the end of a line, run North from the corner of Sec. (No. 13. 14. 23 & 24. T. S. R. 2. W. D. & fell North from the end of said line 10 hrs.
North	From the corner of Sec. (No. 11. 12. 13 and 14,

T. S. R. D. W. 1<sup>st</sup> Nov.

	T. No. 1. R. No. 2. W. D <sup>ist</sup> thence North
7.00	a Hickory tree 24 ins. dia. in the line
11.50	a Water course 6 lbs. wide runs East
31.00	a " " 5 " " " " N 60 E
33.20	over rich bottom timber with Ash, Walnut &c.
35.00	a White Oak tree 15 ins. dia. in the line
64.00	a Sugar tree 20 " " " " "
80.00	Came over rough 3 <sup>rd</sup> rate land, timbered with Oak, Hickory, Sugar tree &c. much under brush set stake at the corner of Sec. No. 1. 2. 11 & 12.
	T. No. 1. R. No. 2. W. D <sup>ist</sup> - a Sugar tree 16 ins. dia. bears S 2 W 21 lbs. dist. & a Buck tree 9 "
	" " N 2 W 22 " " - Measured &c. 3 <sup>rd</sup> rate Land.
East	From the corner of Sec. No. 11. 12. 13 & 14. T. No. 1. R. No. 2. W. D <sup>ist</sup> thence East & set up tally stakes
80.09	Came to the East side of Township No. 1. Range No. 2. W. D <sup>ist</sup> & fall 30 lbs. South of the end of line run North from the corners of Sec. No. 13 & 14
North	From the corner of Sec. No. 12 & 13. T. No. 1. R. No. 2. W. D <sup>ist</sup> thence North on the East Boundary of T. S. R. D. W. D <sup>ist</sup> Commence ascending a hill
1.40	Came to the corner of Sec. No. 7 & 18. T. S. R. 1. W. D <sup>ist</sup>
2.50	Rose a hill
13.53	an Ash tree 18 ins. dia. in the line
14.00	over level land timbered with Ash, Oak & Beech good 2 <sup>nd</sup> rate land
21.68	descended to a Water course 3 lbs. wide, runs N 15 W
23.00	Rose a small hill
25.60	a Buck tree 14 ins. dia. in the line
27.20	a Spring branch, runs N 57 W
32.34	" " " " runs N 60 W
37.55	a White Oak tree 14 ins. dia. in the line
38.00	over land timbered with Buck & Oak, much brush

	with guts & hollows
38.50	Begin a descent
49.00	a Black tree 16 ins. dia. in the line
53.00	descended a steep hill to a stream of water - 20 lbs. wide runs S 70° W
59.36	a Black Walnut tree 34 ins. dia. in the line
60.00	over a small bottom to the foot of a hill
72.00	up a steep hill
80.00	down a descent, came over rough, hilly land, timbered with Oak, Hickory, Sugar-tree. Set stakes at the corners of Sec. (No. 1 & 12. J. S. R. D. W. 1 <sup>st</sup> from whence an Oak tree 20 ins. dia. bears S 70° W 23 lbs. dia. & an Elm tree 15 ins. dia. bears N 11° E 14 lbs. dia. - Marked & numbered to the place. 3 <sup>rd</sup> rate - Variation 4. 115

West	From corner of Sec. (No. 12 & 13. J. S. R. D. W. 1 <sup>st</sup> thence W. to the corner of Sec. (No. 11, 12, 13 and 14 J. (No. 8. R. No. 2. W. 1 <sup>st</sup> Commence rising a hill on the south side of same
3.50	Rise the hill
20.43	a Black Oak tree 16 ins. dia. in the line
29.70	a Hickory tree 20 " " " " " "
40.04	over land gradually rising & falling timbered with Oak, Ash, & Sugar-tree - 2 <sup>nd</sup> rate land, Set 1 <sup>st</sup> Sec. post at the intermediate distance - a White Oak tree 24 ins. dia. bears S 80° W 32 lbs. dia. & a Red Elm tree 14 " " " N 52° E 21 lbs. dia. Marked half Sec. 2 <sup>nd</sup> rate.

West	Continue West
1.00	Begin to descend a hill
11.00	an Elm tree 12 ins. dia. in the line.
19.00	descended steep to good bottom land
23.33	a honey locust tree 18 ins. dia. in the line
29.50	over handsome bottom to Cedar-grove creek, a



J. S. R. D. W. 1<sup>st</sup> Mer.

100.04 Handsome stream stream of water 80 yds. wide, runs ~~NW~~  
 over handsome bottom, timbered with Ash, Walnut,  
 Sugar tree &c. came to the corner of Sec. No. 11.  
 12.13 & 14 J. S. R. D. W. 2<sup>d</sup> - a Blue Ash tree  
 16 ins. dia. bears S 24 E 5 yds. dis. & another Blue Ash  
 tree 28 ins. dia. bears N 16 W 32 yds. distant,  
 Marked &c. 2<sup>d</sup> rate land,

West From corner of Sec. No. 11. 12. 13 & 14. J. No. S. R.  
 No. 2. W. 2<sup>d</sup> thence West to the corner of Sec.  
 No. 10. 11. 14 & 15. J. S. R. D. W. 2<sup>d</sup>

9.50 Begin to rise a hill  
 13.00 Rose a steep hill  
 13.58 a White Oak tree 28 ins. dia. in the line  
 14.00 Begin to descend a hill  
 21.70 a White Oak tree 18 ins. dia. in the line  
 33.00 down a sideling hill to bottom land, came  
 over 3<sup>d</sup> rate land, timbered with Oak, Hickory &c.  
 40.65 over good first rate bottom, timbered with Ash  
 Walnut &c. Set  $\frac{1}{2}$  sec. post at the intermediate  
 distance a White Oak tree 20 ins. dia. bears  
 N 25 E 33 yds. dis. & another White Oak tree 18  
 ins. dia. bears N 10 E 5 yds. dis. Marked  $\frac{1}{2}$  sec.  
 1<sup>st</sup> rate land.

West Continue West

11.50 over bottom land, came to White water River  
 rapid here, runs S 5 W corner from nearly the  
 opposite course  
 15.50 crossed the River  
 22.00 over a bottom to a small hill  
 24.00 Rose the hill  
 37.40 a Sugar tree 14 ins. dia. in the line  
 40.65 came to the corner of Sec. No. 10. 11. 14 & 15 passed  
 over level 2<sup>d</sup> rate land, thickly timbered with a young  
 growth of Hickory, Ash, Sugar tree Walnut &c

from corners of Sec. (No. 10.11.14 & 15 a Walnut tree  
or sapling 10 ins. dia. bears N 35° E 6 lbs. dis. & another  
Walnut tree " " " " S 35° W 14 lbs. dis. —  
Marked & numbered to the plan, 2<sup>d</sup> rate

West Continue West

From corners of Sec. (No. 10.11.14 & 15, thence West  
to the corner of Sec. (No. 9.10.15 & 16. G. S. R. D. W. Dis

4.50 over rich level land to the foot of a hill inclining N.  
rose the hill obliquely

11.18 a Sugar tree 18 ins. dia. in the line

14.62 a Blue ash tree 13 " " " " "

19.08 a Water course 4 lbs. wide runs N 10° E

25.00 Rose the hill

32.10 a White Oak tree 14 ins. dia. in the line

39.40 over level land, well timbered with Oak, Sugar-  
tree & Hickory — set 1/2 sec. post at the intermediate  
distance — a White Oak tree 30 ins. dia. bears S 24° E  
25 lbs. dis. & another White Oak tree 14 ins. dia. bears  
N 2° E 32 lbs. dis. — Marked 1/2 sec. 3<sup>d</sup> rate

West Continue West

1.50 down a small descent to a Water course 3 lbs. wide  
runs North

4.40 a White Oak tree 18 ins. dia. in the line

5.00 Begin to descend a hill

10.00 a deer creek, much frequented 1.00 N. of this

14.25 a Blue ash tree 14 ins. dia. in the line

16.75 descended a hill to a Water course 8 lbs. wide  
runs North

17.00 Begin to descend another hill

25.00 rose the hill

26.70 a White Oak tree 13 ins. dia. in the line

34.00 a Water course 3 lbs. wide runs N 40° E

39.90 over level 2<sup>d</sup> rate land, timbered with Oak & Hickory  
came to the corner of Sec. (No. 9.10.15 & 16. G. S. R. D. W.

T. S. R. Q. W. 1<sup>st</sup> Mer.

from whence stands a Black Oak tree 20 ins. dia. bears  
 N 13 E 40 lbs. dis. & a White " " 13 " " "  
 S 8 E 61 lbs. dis. - Marked &c. 3<sup>d</sup> rate

West From corners of Sec. No. 9, 10, 15 & 16. T. S. R. Q. W.  
 thence West to the corners of Sec. No. 8, 9, 16 & 17  
 6.45 a White Oak tree 30 ins. dia. in the line  
 8.20 a Water course 4 lbs. wide, runs N 10 E  
 20.15 a " " 4 " " " N 20 E  
 25.87 a White Oak 30 ins. dia. in the line  
 40.02 over level Dute land, well timbered with White  
 Oak, Black Oak, Hickory &c. - Set 7 sec. post  
 at the intermediate distance - a White Oak tree  
 15 ins. dia. bears N 87 E 45 lbs. dis. & another  
 White Oak tree 36 ins. dia. bears N 73 W 47 lbs.  
 dis. - Marked & numbered to the plan 2<sup>d</sup> rate

West Continue West  
 14.55 a Gum tree 18 ins. dia. in the line  
 20.60 a Water course 3 lbs. wide, runs N 59 W  
 27.57 a White Oak tree 36 ins. dia. in the line  
 31.00 a Water course 4 lbs. wide runs N 40 W  
 34.90 a " " 3 " " " North  
 40.02 over level Dute land well timbered with  
 White Oak, Black Oak, Hickory &c. came to the  
 corners of Sec. No. 8, 9, 16 & 17. T. S. R. Q. W. 2<sup>d</sup>  
 W. Q. from the corner stands a White Oak tree  
 20 ins. dia. bears N 49 E 48 lbs. dis. & another White  
 Oak tree 14 ins. dia. bears N 43 W 8 lbs. dist.  
 Marked &c. 2<sup>d</sup> rate

West From corners of Sec. No. 8, 9, 16 & 17. T. S. R. Q. W. 2<sup>d</sup>  
 R. No. 2 W. Q. thence West  
 1.50 a Water course 5 lbs. wide runs N 18 W  
 5.05 a Black Oak tree 16 ins. dia. in the line  
 16.60 a Water course 3 lbs. wide, runs N 20 W

J. S. R. Q. W. 1<sup>st</sup> Mer

30.34	a White Oak tree 30 ins. dia. in the line
39.88	over 2 <sup>nd</sup> rate land of an easy changing surface, timbered with Oak, Hickory, Sugar tree &c. Set 1/2 sec. post at the intermediate distance, a Sugar tree 14 ins. dia. bears S 25° W 26 lbs. dis. & an Elm tree 10 ins. dia. bears N 40° W 44 lbs. dis. - Marked 1/2 Sec - 2 <sup>nd</sup> rate
West	Continue West
0.50	a Water course 3 lbs. wide runs N 60° W
2.00	Begin to descend a hill
10.30	descended a hill to a Water course 9 lbs. wide runs S 26° W
10.50	Begin to rise another hill
13.08	a Hickory tree 15 ins. dia. in the line
18.50	Rose the hill, very steep
19.10	a Black Oak tree 22 ins. dia. in the line
27.66	a W. Oak tree 36 ins. dia. in line - came over level land
28.00	Begin to descend
31.08	descended to a Water course 7 lbs. wide runs S 36° W
32.00	Begin to rise a hill
36.35	a White Oak tree 14 ins. dia. in the line
37.00	Rose the hill
39.88	down a descent to the corner of Sec. (No. 7. 8. 17 & 18. T. No. 8. R. No. 2 W. D <sup>2</sup> this 1/2 mile is 3 <sup>rd</sup> rate land timbered with Oak, Hickory &c. from the corner stands a Hickory tree 16 ins. dia. bears N 46° E 18 lbs. dis. & another Hickory tree 14 ins. dia. bears S 31° W 45 lbs. dis. - Marked & numbered to the plan - 3 <sup>rd</sup> rate.
West	From the corner of Sec. (No. 7. 8. 17 & 18. T. No. 8. R. No. 2 W. D <sup>2</sup> France - West
1.00	a small Water course runs S 50° W
2.00	descending a hill obliquely to the body of the hill lies on the North of the line
7.28	a Black Oak tree 22 ins. dia. in the line



S. R. D. W. 1<sup>st</sup> Mer.

- 25.60 descended the hill to a Water Course 6 lrs. wide, runs S.  
 33.57 a rapid stony water-course 10 lrs. wide. S. 15 lrs  
 37.25 crossed the water-course runs S 78 W  
 40.00 over a broken bottom. This 1/2 mile timbered with Oak  
 Ash, Sugar tree &c. 2<sup>d</sup> rate land - set 1/2 sec. post. a  
 W. Oak tree 30 ins. dia. bears S 8 W 36 lrs. dis. & a Sugar  
 tree 13 ins. dia. bears N 10 W 36 lrs. dis. Measured 1/2 sec.

## West Continue West

- 4.46 a Sugar tree 18 ins. dia. in the line  
 14.56 a Water course 18 lrs. wide, 15 lrs. N. of the line  
 Runs from this N 20 W  
 15.12 a Water course 58 lrs. wide runs N 29 W  
 17.00 came over a bottom to the foot of a hill  
 23.40 a Sugar tree 15 ins. dia. in the line  
 31.50 a W. Oak tree 40 " " " "  
 32.40 Rose the hill & came to the W. Boundary of S. No.  
 8. R. No. 2. W. D<sup>2</sup> & fell 1 ch. & 16 lrs. North of a  
 stake set by me at the corner of Sec. (No. 12 & 13.  
 S. No. 9. R. No. 3. W. D<sup>2</sup>. This 1/2 mile may be  
 called 3<sup>d</sup> rate land, set stake at the corner of Sec.  
 No. 7 & 18 S. No. 8. R. No. 2. W. D<sup>2</sup> a Black Oak  
 tree 15 ins. dia. bears S 64 E 43 lrs. dis. & a B. Oak  
 " 16 " " " N 79 W 48 lrs. dis. - Measured  
 & numbered to the plan. 3<sup>d</sup> rate.

- North From the corner of Sec. (No. 7, 8, 17 & 18. thence N.  
 2.45 a White Oak tree 30 ins. dia. in the line  
 30.29 a " " " 30 " " " "  
 45.00 a Water course 3 lrs. wide runs N 40 W  
 51.90 a White Oak tree 36 ins. dia. in the line  
 52.00 over level 2<sup>d</sup> rate land, good for small grain,  
 timbered with Oak, Hickory &c.  
 57.00 I came to the edge of a Water course. 7 lrs. - N 20 W  
 57.50 a Water course runs West 3 lrs. wide & joins the  
 other last mentioned

# G. S. R. D. W. 1<sup>st</sup> Meas.

417

68.10 a Black Oak tree 16 ins. dia. in the line  
 80.00 over rough hilly land 3<sup>rd</sup> rate. timbered with Hickory  
 Oak, Sugar tree &c. Set stake at the corner of Sec. No.  
 5 & 6. T. No. 8. R. No. 2. W. D. 3<sup>rd</sup> rate

North From the corner of Sec. No. 5. 6. 7 & 8 thence North  
 descending a hill  
 9.50 descended hill to a water course 10 hrs. wide, runs N<sup>W</sup> & W  
 10.00 Begin to rise a hill  
 19.00 a Water course 4 hrs. wide, runs West-  
 22.18 an Elm tree 10 ins. dia. in the line  
 32.43 a Hickory " 13 " " " " "  
 36.00 over rough hilly land, timbered with Oak, Hickory,  
 Sugar tree &c. much brush  
 42.35 a White Oak tree 18 ins. dia. in the line  
 61.23 a Buck tree 17 ins. dia. in the line  
 61.50 over level 2<sup>nd</sup> rate land timbered with Oak, Hickory &c  
 62.00 Begin to descend steep hill  
 65.70 a White Oak tree 20 ins. dia. in the line  
 77.30 descending a hill - came to the N. Boundary of T. No.  
 8. R. No. 2. W. D. & fell 4 hrs. & 30 hrs. West of a stake  
 standing for cor. of Sec. No. 31 & 32 T. No. 9. R. No. 2.  
 W. D. said stake set by me - set stake on the Town-  
 ship line at the cor. of Sec. No. 5 & 6. T. No. 8. R. No.  
 2. W. D. from whence a Hickory tree 13 ins. dia. bears  
 N 28 E 33 hrs. dis & a White Walnut sapling " " "  
 S 37 E 15 hrs. dis. Marked & numbered to the plan, 3<sup>rd</sup> rate

East From the corner of Sec. No. 5. 6. 7 & 8 T. No. 8. R. No. 2  
 W. D. thence East & set up tally stakes  
 79.72 came to a line run North from corner of Sec. No. 8 &  
 9. 16 & 17 T. No. 8. R. No. 2. W. D. & fell 11 hrs. South  
 from the end of said line

North From the corner of Sec. No. 4. 5. 8 & 9. thence North  
 5.68 a White Oak tree 24 ins. dia. in the line

comp<sup>d</sup>

S. S. R. D. W. 1<sup>st</sup> Mo.

- 10.18 a Hickory tree 15 ins. dia. in the line, on the top of a hill  
 27.50 a Water course 10 lks. wide runs N 45 E at the foot  
 of a hill  
 30.24 a Walnut tree 24 ins. dia. in the line  
 41.70 a Water course 7 lks. wide runs N 35 E  
 58.50 a " " 5 " " " N 30 E  
 66.20 an Elm tree 20 ins. dia. at the foot of the river-hill  
 78.00 Came to the N. Boundary of Township - a Sugar  
 tree stands for the corner of Sec. (No. 4 & 5) from  
 whence a Sugar tree bears S 29 W 54 lks. dia. & a White  
 Oak tree bears S 35 E 67 lks. dia, an old corner is  
 3 chains & 40 lks. East from this, being the corner  
 of Sec. No. 3 2 & 3 3. S. No. 8. R. No. 2. W. 1<sup>st</sup> Mo. 3<sup>rd</sup> rate.

- East From corner of Sec. (No. 4. 5. 8 & 9. S. No. 8. R. No. 2.  
 W. 1<sup>st</sup> Mo. 3<sup>rd</sup> rate) thence East & set up tally stakes  
 80.19 Came to the end of a line, run north from the  
 corner of Sec. (No. 9. 10. 15 & 16. S. No. 8. R. No. 2. W. 1<sup>st</sup> Mo.  
 & full 56 lks. North from the end of said line

- North From the corner of Sec. (No. 3. 4. 9 & 10. thence N.  
 1.50 Down the foot of a hill to rich bottom  
 9.40 a Hackberry tree 18 ins. dia. in the line  
 18.00 over rich bottom, timbered with Ash, Hackberry  
 Walnut &c.  
 19.50 over the point of a small hill - a Blue Ash tree  
 18 ins. dia. in the line  
 20.00 descended the point  
 21.50 came to the bank of White water  
 22.50 descended the bank, the river runs N 30 E comes  
 from S 70 W  
 34.00 crossed the river  
 37.00 came to a creek 50 lks. wide, runs S 88 E  
 40.60 an Elm tree 40 ins. dia. in the line  
 44.00 over rich bottom to the foot of a hill  
 45.60 Rose the hill

49.30 descended to a small creek 50 lbs. wide, runs  $\frac{1}{2}$  S W  
 57.00 another stream 30 lbs. wide, runs  $\frac{1}{2}$  S E  
 60.54 a coffee nut or malpogony tree 18 ins. dia. in line  
 63.00 over a handsome flat of 1<sup>st</sup> rate land timbered  
 with ash, sugar tree &c  
 65.65 a Hickory tree 18 ins. dia. in the line, passed over  
 a gradual rise except a small pitch to a stream  
 of water 30 lbs. wide runs  $\frac{1}{2}$  S E  
 78.25 in the water course, came to the N. Boundary  
 of Township No. 8. R. No. 2. W. D. set stake on  
 the West Bank of the creek at the corner of Sec.  
 No. 3 & 4 T. No. 8. R. No. 2. W. D. a sycamore tree  
 12 ins. dia. bears  $\frac{1}{2}$  S 4 W 22 lbs. dia. & a Water poplar  
 15 " " " N 35 E 15 lbs. dia. Marked &  
 numbered to the place. 2 chs. & 36 lbs. East are  
 corners of Sec. No. 3 & 4 in T. No. 9. R. No. 2. W.  
 D. - 2<sup>nd</sup> rate

East From the corner of Sec. No. 3, 4, 9 & 10. thence East  
 & set up tally stakes  
 79.65 Came to the end of a line, run North from the  
 corner of Sec. No. 10, 11, 14 & 15. T. No. 8. R. No. 2  
 & fell 11 lbs. North from the end of said line

North From the corner of Sec. No. 2, 3, 10 & 11. thence N.  
 19.50 a Water course 3 lbs. wide, runs  $\frac{1}{2}$  S W  
 34.79 a Black Walnut tree 18 ins. dia. in the line  
 38.85 a Spring branch runs  $\frac{1}{2}$  S W  
 46.85 a Buckeye tree 13 ins. dia. in the line  
 51.58 a Water course 15 lbs. wide, runs  $\frac{1}{2}$  S W  
 55.16 a Blue Ash tree 18 ins. dia. in the line  
 70.00 over 1<sup>st</sup> rate land, timbered with ash, Walnut,  
 sugar tree &c. came to the foot of a gradual rise  
 73.50 a Black Oak tree 30 ins. dia. in the line  
 79.90 over a gradual rise of 1<sup>st</sup> rate land, timbered  
 with ash, ash, Walnut &c. - set stake on the

## T. 8. R. 1. W. 1. Sec.

North Boundary of T. No. 8. R. No. 2. W. Sec. 2. Chs. 4 & 50 lbs. West of the corner of Sec. No. 34 & 35. T. No. 9. R. No. 2. (made by run from corner of Sec. No. 2 & 3. T. No. 8. R. No. 2. W. Sec. 2. a Blue Ash tree 13 ins. dia. bears N 57° W 61 lbs. dis. & a Black - Walnut sapling 10 ins. dia. bears S 12° E 50 lbs. dis. Marked & numbered to the plan - 1<sup>st</sup> rate

East From corner of Sec. No. 2. 3. 10 & 11 T. No. 8. R. No. 2. Thence East & set up tally stakes  
80.71 Came to a line run North from the corner of Sec. No. 11. 12. 13 & 14 T. No. 8. R. No. 2. W. Sec. 2. & fell 2 lbs. North from the end of said line

North From the corner of Sec. No. 1. 2. 11 & 12 thence N.  
20.06 a Beech tree 16 ins. dia. in the line  
30.56 a Sugar tree 10 " " " " "  
31.40 a Water course 3 lbs. wide runs S 30° E  
43.00 over rich 2<sup>nd</sup> rate land gradually rising & falling, timbered with Oak, Ash, Sugar tree & Walnut, Spruce under brush, much under growth  
57.58 a Sugar tree 18 ins. dia. in the line  
72.00 over level 2<sup>nd</sup> rate land, timber - Oak, Ash, Sugar tree &c. - much under brush  
78.28 down a gradual descent - came to the North boundary of Township No. 8. Range No. 2. W. Sec. 2. fell 35 lbs. East of a stake set by Wm. Ludlow for corner of Sec. No. 35 & 36. T. No. 9. R. No. 2. W. Sec. 2. Set stake at the corner of Sec. No. 1 & 2. T. No. 8. R. No. 2. W. Sec. 2. from whence a Walnut tree 10 ins. dia. bears N 16° W 13 lbs. dis. & an Ironwood 6 ins. dia. bears N 35° E 20 lbs. dis. - Marked & numbered to the plan, 2<sup>nd</sup> rate.

East From the corner of Sec. No. 1. 2. 11 & 12 thence East & set up tally stakes



S. 8. N. 2. W. 1. 1<sup>st</sup> Mer.

36.12 Came to the East side of Township No. 8. Range No. 2. N. 2. E. & fell 7 lbs. North of the end of a line run North from Sec. No. 12 & 13

North From the corner of Sec. No. 14 & 12. thence North Commence descending an easy descent

9.00 a Buck tree 18 ins. dia. in the line

15.75 down an easy descent to a steep pitch of a hill (came over 2<sup>nd</sup> rate land), timber Oak, Buck sugar &c.

17.50 descended steep pitch to a Water course 40 lbs. wide

21.15 a Walnut tree 30 ins. dia. in the line

36.00 over rich 1<sup>st</sup> rate bottom timbered with Oak, Walnut, Sugar tree &c.

46.83 Came to the foot of a hill, begin to rise hill on the East side of the land.

50.00 a Hickory tree 18 ins. dia. in the line

63.75 Rise the hill

76.90 a Hickory tree 16 ins. dia. in the line

78.50 a Water course 4 lbs. wide runs S 80° E

80.60 over rough land much covered with under brush Timbered with Oak, ash, Sugar tree, &c. Came to the N. East corner of T. No. 8. R. No. 2. N. 2. E. from whence a Sugar tree 6 ins. dia. bears S. East 44 lbs. & a White Oak tree 20 ins. dia. bears N. W 50 lbs. dia. Marked & numbered to the plan —

Variation 4.45 — 2<sup>nd</sup> rate.

West From corner of Sec. No. 14 & 12. thence West to the corner of Sec. No. 1. 2. 11 & 12. T. No. 8. R. No. 2. N. 2. E.

14.30 over descending ground 2<sup>nd</sup> rate land, to a stream of water 50 lbs. wide, rapid & stony, called Cedar grove creek comes from N 30° W & runs S 70° W

25.00 Creek 15 lbs. South of the line, from this bears S 40° E

32.40 an Elm tree 17 ins. dia. in the line

40.06 over rich 1<sup>st</sup> rate bottom, timbered with Walnut, Ash, Sugar tree &c. set 7<sup>th</sup> Sec. post at the intermediate

S. & R. I. W. 1<sup>st</sup> Mer.

distance a Sugar tree 13 ins. dia. bears N 25° W 16 lbs.  
 dia. & a Hackberry tree 12.. " " S 22° W 55 lbs  
 dia. - Marked to Sec. 1, 2<sup>d</sup> rate

## West Continue West

- 3.31 a Walnut tree 20 ins. dia. in the line  
 10.00 over rich bottom to the side of a hill  
 14.00 a White Oak tree 18 ins. dia. in the line  
 16.50 passed over a hill to a Water course 4 lbs. wide  
 runs S 20° E  
 16.60 Begin to rise another hill  
 28.35 a White Oak tree 22 ins. dia. in the line  
 30.75 passed over at small steep points of hills to a Water  
 course 6 lbs. wide runs S 21° E  
 40.06 rising a hill came to the corner of Sec. 1. 2.  
 11 & 12 (S. No. 8. R. No. 2. W. L. 1/2) came over rough  
 2<sup>d</sup> rate land, timbered with Oak, Ash, Sugar tree &c.  
 from the corner stands a Sugar tree 16 ins. dia. bears  
 S 21° W 21 lbs. dia. & a Buck tree 9 ins. dia. bears S 21° W  
 23 lbs. distant.

West From the corner of Sec. 1. 2. 11 & 12 thence to the  
 corner of Sec. 2. 3. 10 & 11 S. No. 8. R. No. 2. W.  
 commence rising a hill

- 5.00 Rose the hill  
 14.95 a Gum tree 16 ins. dia. in the line  
 35.00 over level 2<sup>d</sup> rate land, timbered with Oak, Buck  
 Sugar tree &c.  
 40.35 gradually descending over 2<sup>d</sup> rate land, timber  
 Ash, Sugar tree &c, much under growth, Set 1/2 sec.  
 post at the intermediate distance - a White Ash  
 tree 18 ins. dia. bears N 16° W 42 lbs. dia. & another  
 Ash tree bears S 22° E 80 lbs. distant  
 Marked half sections - 2<sup>d</sup> rate.

## West Continue West

S. S. R. 2. H. 1<sup>st</sup> Mo.

- 1.00 descending to a Water course 3 Mts. wide, runs N 45° W  
 9.77 a White Ash tree 50 ins. dia. in the line  
 14.57 a Sugar " 16 " " " " "  
 26.20 a Spring branch runs with the line  
 29.90 an Ash tree 18 ins. dia. in the line  
 32.00 the Spring branch runs N 40° W came over 3<sup>rd</sup> rate  
 land gradually rising & falling, timbered with  
 Ash, Sugar tree & Oak  
 36.50 a Water course 4 Mts. wide, runs South  
 40.35 over 1<sup>st</sup> rate land, thinly timbered with Oak,  
 Ash, Walnut Sugar tree &c. - came to the corner  
 of sec. No. 2, 3, 10 & 11 S. (No. 8, R. 1 No. 2, W. 3<sup>rd</sup>)  
 from the corner stands a Walnut tree 8 ins. dia.  
 bears 136 & 29 Mts. dis. & a Buckeye tree 12 " "  
 " N 32° W 14 Mts. dis. - 2<sup>nd</sup> rate.

West From the corner of sec. No. 2, 3, 10 & 11 thence  
 West to the corner of sec. No. 3, 4, 9 & 10

- 5.50 over rich land to a Water course 15 Mts. wide runs S 70° E  
 7.50 Rose a steep hill  
 17.96 a White Walnut tree 12 ins. dia. in the line  
 21.75 a Hickory " 18 " " " " "  
 29.00 came to a hill descending steep to the River  
 30.86 descended steep hill to White Water river  
 35.00 crossed the river runs N 60° E  
 39.82 over bottom land - set 7<sup>th</sup> sec. post a Sugar tree  
 13 ins. dia. bears 141 W 30 Mts. dis. & a mulberry  
 tree 8 ins. dia. bears 147 & 34 Mts. dis. -  
 Marked to sec. 3<sup>rd</sup> rate land

West Continue West

- 1.87 a White Oak tree 14 ins. dia. in the line  
 12.00 Begin to rise a hill  
 21.00 on the N. side of a hill - a deer like much frequented  
 to the North of this place  
 39.82 on the North side of a hill - rich soil, timbered

J. S. R. I. W. 1<sup>st</sup> Nov.

with Oak, Ash, Sugar tree &c. came to the corner  
of Sect. (No. 3. 4. 9 & 10. J. S. R. 2. W. D<sup>ist</sup> a Blue  
Ash tree 13 ins. dia. bears N 75 E 31 lks. dis. & another  
Blue Ash tree 12 ins. dia. bears S 25 W 34 lks. dis.  
Marked &c. 3<sup>rd</sup> rate land

West From the corner of Sect. (No. 3. 4. 9 & 10) thence West  
to the corner of Sect. (No. 4. 5. 8 & 9. Township No.  
8. Range No. 2. W. D<sup>ist</sup>

2.00 descended to rich bottom

23.77 a Buckeye tree 13 ins. dia. in the line

29.10 a Sugar " 12 " " " " "

37.27 a W. Ash " 28 " " " " "

40.09 over rich bottom timbered with Ash, Walnut,  
Sugar tree &c. - set stakes at the intermediate distance  
an Elm tree 10 ins. dia. bears S 79 W 15 lks. dis. & another  
Elm tree 8 " " " N 76 E 30 lks. dis.  
Marked &c. Sect. 1<sup>st</sup> rate land

West Continue West

1.50 Rose a small bank

2.25 a Beech tree 16 ins. dia. in the line

4.10 a Water course 4 lks. wide runs N 40 W

5.00 Begin to rise a hill

11.50 a Water course 6 lks. wide runs N 75 E

14.25 a " " " " " " N 22 E

15.00 Begin to rise a hill

23.67 an Elm tree 13 ins. dia. in the line

35.00 Take a steep hill

40.09 over 3<sup>rd</sup> rate land, came to the corner of Sect. (No. 4. 5.  
8 & 9 J. No. 8. R. No. 2. W. D<sup>ist</sup> - from whence a  
Hickory tree bears N 70 W 78 lks. dis. & a White Oak  
tree 30 ins. dia. bears S 78 E 33 lks. dis. - 3<sup>rd</sup> rate.

West From corners of Sect. No. 4. 5. 8 & 9 J. No. 8. R. No. 2  
W. D<sup>ist</sup> thence West to the corner of Sect. 5. 6. 7 & 8

J. S. R. D. W. 1<sup>st</sup> Mer.

- 3.78 a White Oak tree 36 ins. dia. in the line  
 4.60 a Water course 4 lks. wide runs North  
 30.04 a Small Water course runs S 60° W  
 32.27 a Hickory tree 13 ins. dia. in the line  
 33.00 over level 3<sup>rd</sup> rate land timbered with Oak, Hickory &c  
 38.75 a Water course 6 lks. wide, runs N 50° W  
 39.86 over 3<sup>rd</sup> rate land, timbered with Oak & Hickory  
 rough surface - Set 7/2 sec. post at the intermediate  
 distance a Sugar tree 10 ins. dia. bears N 76° E 15  
 lks. dis. & a Black tree 13 " " " N 84° W 18  
 lks. dis. - Marked &c - 3<sup>rd</sup> rate land.

## West Continue West

- 1.00 a Water course 6 lks. wide runs S 70° W  
 1.76 a Sugar tree 15 ins. dia. in the line  
 2.58 a Water course 3 lks. wide runs South  
 12.08 a Hickory tree 18 ins. dia. in the line  
 17.00 a Water course 12 lks. wide runs N 50° W  
 28.40 a " " 4 " " " " N 45° W  
 38.98 a Sycamore tree 13 ins. dia. in the line  
 39.25 a Water course 3 lks. wide, runs N 46° W  
 39.86 Leave to the corner of Sec. (No. 5 & 6. 7 & 8.  
 Township No. 8. Range No. 2. W. 9<sup>th</sup>. This  
 1/2 mile very rough timbered with Oak, Sugar tree  
 Hickory &c. much under brush - From the  
 corner stands a Sugar tree 14 ins. dia. bears  
 S 28° E 35 lks. dis. & an Elm tree 16 ins. dia. bears  
 S 64° W 25 lks. dis. 3<sup>rd</sup> rate land

West From the corner of Sec. No. 5. 6. 7 & 8 T. No. 8. R.  
No. 2. W. 9<sup>th</sup> thence West

- 11.45 a Black Oak 19 ins. dia. in the line  
 13.74 a Water course 5 lks. wide, runs N 30° W  
 23.67 a Hickory tree 15 ins. dia. in the line  
 40.00 over very rough hilly land, timbered with White Oak  
 Black Oak & Hickory - Set 7/2 sec. post a Black



J. S. R. D. W. 1<sup>st</sup> Mo.

Cash tree 16 ins. dia. bears N 29 W 15 Mts. dis. &  
another Black Cash tree 14 ins. dia. bears N 6 E  
29 Mts. dis. Measured 1/2 sec. & 3<sup>rd</sup> note

## West Continue West

4.23 a Hickory tree 15 ins. dia. in the line  
22.50 a Water course 6 Mts. wide, runs N 45 W  
28.45 a Hickory tree 13 ins. dia. in the line  
29.50 came to Blue water creek 70 Mts. wide, runs N 10 E  
32.08 came to the West Boundary of T. (No. 8. R. No. 2  
W. Dis. passed over 3<sup>rd</sup> note land, rough surface  
timbered with Oak. Oak Sugar tree & c. fell 10 Mts.  
North of this corner of Sec. No. 1 & 2 T. (No. 9. R. (No.  
3. W. Dis. set stake at the corner of Sec. (No. 6 &  
7. T. (No. 8. R. (No. 2. W. Dis. a Black Walnut  
tree 18 ins. dia. bears S. W. 86 Mts. dis. & a White  
Oak tree 21 ins. dia. bears N 6 E 12 Mts. dis.  
Measured & numbered to the plan. 3<sup>rd</sup> note.

East From the corner of Sec. No. 5 & 6. T. (No. 8. R. No.  
2. W. Dis. thence East & set up tally stakes  
79.20 came to the corner of Sec. No. 4 & 5. T. (No. 8  
R. No. 2. W. Dis.

East From the corner of Sec. (No. 4 & 5 T. (No. 8. R.  
No. 2. W. Dis. thence East  
81.12 came to the corner of Sec. No. 3 & 4

East From the corner of Sec. (No. 3 & 4. thence East  
79.50 came to corner of Sec. (No. 2 & 3.

East From the corner of Sec. (No. 2 & 3 thence East  
80.40 came to the corner of Sec. (No. 1 & 2. T. S. R. D. W. Dis.

East From the corner of Sec. (No. 1 & 2. thence East  
79.84 came to the N. East corner of T. S. R. D. W. of Mo.

West From the N.E. corner of G. S. R. D. W. Dis. thence N.  
 18.56 a White Oak tree 54 ins. dia. in the line  
 19.70 a Water course 4 fms. wide runs S<sup>W</sup> E  
 38.50 a small Water course runs S<sup>W</sup> W  
 39.00 an Elm tree 20 ins. dia. in the line  
 39.60 Came over 2<sup>d</sup> rate land conveniently level. Timbered  
 with Oak, Beech, Sugar tree &c. Set  $\frac{1}{2}$  Sec. post  
 at the intermediate distance - a Sugar tree 12 ins.  
 dia. bears S<sup>W</sup> E 20 fms. dia. & a Beech tree 13 ins. dia.  
 bears N 13 W 16 fms. dia. - Marked  $\frac{1}{2}$  Sec. 2<sup>d</sup> rate.

West Continue West

1.10 a Beech tree 13 ins. dia. in the line  
 33.60 a Hickory " 26 " " " "  
 39.60 over land broken with small hills, much brush  
 may be termed ~~Prater~~ came to the corner of Sect.  
 No. 1 & 2. E. (No. 8. R. (No. 2. W. Dis.

West From the corner of Sect. (No. 1 & 2. E. (No. 8. R. No.  
 2. W. Dis. thence West

0.36 came to an old stake set by me, at the corner  
 of Sect. (No. 35 & 36. E. (No. 9. R. (No. 2. W. Dis.  
 7.58 a White Oak tree 15 ins. dia. in the line  
 17.50 descended a hill to a Water course 10 fms. wide,  
 runs S<sup>W</sup> W  
 20.00 Rising the side of a hill  
 30.00 Rose the hill  
 37.80 a Hickory tree 14 ins. dia. in the line  
 40.56 set stake at the intermediate distance - a Beech  
 tree 5 ins. dia. bears S<sup>W</sup> W 15 fms. dia. & another "  
 sapling 6 ins. dia. bears N<sup>W</sup> E 13 fms. dia. - Marked  
 $\frac{1}{2}$  Sec. This  $\frac{1}{2}$  mile rough 3<sup>d</sup> rate land, Timbered  
 with Oak, & Hickory, much brush

West Continue West

J. S. R. D. W. 1<sup>st</sup> Mer

- 7.68 a White Ash tree 14 ins. dia. in the line  
 38.56 came to a stake, set at the corner of Sec. No.  
 34 & 35. T. No. 9. R. (No. 2. W. D's  
 40.56 came to the corner of Sec. No. 2 & 3 T. No. 8. R.  
 No. 2. W. D's this 1/2 mile rough hilly land, timbered  
 with Oak, Hickory, Ash &c. may be termed 3<sup>rd</sup> rate

West From the corner of Sec. No. 2 & 3. T. No. 8. R. (No. 2  
 W. D's) move West on the North Boundary  
 of said Township.

- 5.48 a Blue Ash tree 16 ins. dia. in the line  
 15.80 an Elm tree 12 " " " "  
 19.50 a Water course 10 lbs. wide runs S 10° W  
 32.30 a Blue Ash tree 15 ins. dia. in the line  
 38.00 a Water course S 1/4, wide runs S 20° W  
 39.75 Set 1/2 Sec. post at the intermediate distance, a  
 Sugar tree 9 ins. dia. bears S 53° E 17 lbs. dia. & another  
 " " 16 " " " N 57° W 46 lbs. dia. Marked  
 to Sec. This 1/2 mile conveniently well timbered  
 with Oak, Ash, Sugar trees &c. much Spruce brush  
 1<sup>st</sup> rate land

West Continue West.

- 13.53 a Sugar tree 13 ins. dia. in the line  
 28.06 an Ash " 13 " " " "  
 37.40 came to a stake set by me for corner of Sec. No.  
 33 & 34 T. 9. R. 2. W. D's  
 39.00 came to a creek 50 lbs. wide, runs S 10° W  
 39.75 came to the corner of Sec. No. 3 & 4. T. No. 8. R. (No. 2  
 W. D's) came over rich land conveniently well  
 thinly timbered with Ash, Walnut Sugar trees &c.  
 1<sup>st</sup> rate land.

West From the corners of Sec. No. 3 & 4. T. No. 8. R.  
 No. 2. W. D's, thence West  
 2.20 came to a Water course 10 lbs. wide runs South.

J. S. R. D. W. 1<sup>st</sup> Mer.

- 2.60 Begin to rise a hill  
 7.82 a Blue Ash tree 13 ins. dia. in the line  
 15.00 Pass the hill.  
 16.00 Begin to descend again  
 25.10 a Black Oak tree 30 ins. dia. in the line  
 27.00 descended the hill to White Water bottom  
 33.50 Came to White Water  
 44.20 Set 1<sup>st</sup> sec. post on a gravelly covered with water  
 in a common line from where a Cottonwood tree  
 3 feet in dia. bears N 5 E 1.65 lbs. dia. & a Sycamore  
 tree 13 ins. dia. bears S 12 W 3 lbs. dia. Measured 1/2 sec.  
 This 1/2 mile 3<sup>rd</sup> rate land, principally timbered  
 with Oak, Hickory &c. 3<sup>rd</sup> rate.

## West Continue West

- 3.00 over a Beach, came to timber land.  
 4.50 a Willow tree 12 ins. dia. in the line  
 19.72 a Sycamore tree 20 " " " "  
 34.20 a Maple tree 15 " " " "  
 36.90 Came to corner of Sec. No. 32 & 33. T. 9. R. 2. W. 1<sup>st</sup>  
 40.20 Came to corner of Sec. No. 4 & 5. T. No. 8. R. No. 2. 1<sup>st</sup>  
 (This 1/2 mile over low Sycamore bottom - may be  
 termed 3<sup>rd</sup> rate.)

West From the corner of Sec. No. 4 & 5. T. No. 8. R. No. 2  
W. 1<sup>st</sup> thence West

- 25.00 in the River bottom, near the River  
 26.90 a Hickory tree 18 ins. dia. in the line  
 29.60 a Water course 6 lbs. wide, runs North  
 36.00 Rising a hill  
 39.92 Set 1<sup>st</sup> sec. post at the intermediate distances - a  
 Sycamore tree 16 ins. dia. bears N 5 E 13 lbs. dia. & a  
 Black Walnut tree 20 ins. dia. bears S 5 W 25 lbs  
 dia. Measured 1/2 sec. This 1/2 mile 3<sup>rd</sup> rate land.

## West Continue West



T. S. R. D. W. 1<sup>st</sup> Mer.

- 7.72 an Ash tree 13 ins. dia. in the line  
 28.92 a White Oak tree 20 ins. dia. in the line  
 35.70 Came to a stake set by me at the corner of  
 Sec. No. 31 & 2. T. No. 9. R. No. 2. W. 1<sup>st</sup>  
 38.90 an Elm tree 16 ins. dia. in the line  
 39.92 Came to the corner of Sec. No. 5 & 6. T. No. 8.  
 Range No. 2 W. 1<sup>st</sup> This  $\frac{1}{2}$  mile very rough  
 hilly land timbered with Oak. Ash. Hickory &c. much  
 under brush - 3<sup>rd</sup> mile land.

West From the corner of Sec. No. 5 & 6. T. No. 8. R. No.  
 2. W. 1<sup>st</sup> thence West

- 7.00 Came to Blue Water creek 1 ch. wide, runs N  $20^{\circ}$  E  
 9.50 a Sycamore 6 feet in dia. in the line  
 29.00 Came to Blue Water again, runs N  $80^{\circ}$  E, 3 chs.  
 wide at this place  
 40.00 over rough 3<sup>rd</sup> mile land, timbered Oak. Hickory and  
 Sugar trees - very hilly & brushy - set  $\frac{1}{2}$  sec. post  
 as Sugar tree 13 ins. dia. bears S  $20^{\circ}$  W. 16 chs. dis. &  
 a Blue Ash tree 10 ins. dia. bears N  $22^{\circ}$  W 28 chs. dis.  
 Marked  $\frac{1}{2}$  sections

West Continue West  
 commence rising a hill

- 1.92 a Sugar tree 14 ins. dia. in the line  
 26.52 a Hickory tree 16 ins. dia. in the line  
 32.98 Came to the North West corner of Township  
 No. 8. Range No. 2 Western Dis. - Passed over  
 poor hilly land, much covered with brush,  
 timber Oak. Hickory &c. from the corner staked  
 a Hickory tree 13 ins. dia. bears N  $44^{\circ}$  W 26 chs. dis.  
 & another Hickory tree 12 ins. dia. bears S  $69^{\circ}$  W  $7\frac{1}{2}$   
 chs. dis. - Marked & numbered to the plan, 3<sup>rd</sup> rate.

Surveyed by  
 William Sudlow Dep. Sur.



T. & R. D. W. 1<sup>st</sup> Mer.

431

I certify that the foregoing Transcript of  
the Field notes of Township No. 1 Range No. 2  
West of the 1<sup>st</sup> Mer. has been compared with the  
original in this office & found to be correct  
Surveyor General's Office  
Cincinnati, Feb. 9<sup>th</sup> 1844.

W. C. C. Jones  
Lieut. Genl.